

Virtual Agent for iOS Accessibility Conformance Report

International Edition

Based on VPAT® Version 2.4

Report Details

| Field | Description |
|---------------------|--|
| Name of Product | ServiceNow® Virtual Agent for iOS |
| Version | Utah |
| Report Date | August 3, 2023 |
| Product Description | Virtual Agent provides optimized templates for the mobile experience. Configure a service portal to run Virtual Agent on a ServiceNow mobile application. |
| Contact Information | accessibility@servicenow.com |
| Notes | <ul style="list-style-type: none"> • This is a mobile application. The information contained in this report only applies to this release of this application. • Accessibility conformance details for other ServiceNow products are covered in separate reports. See Accessibility Conformance Reports on the Product Documentation site. • Any customization of this application or the Now Platform may have an impact on the specifics in this report. • This version of the report replaces the Tokyo Virtual Agent for iOS version dated February 02, 2023. |

Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, and VoiceOver, as well as exclusive use of the keyboard to navigate and operate the product content and functionality.
- The evaluation process used a combination of automated checks as well as human testing/evaluation of specific workflows.
- This Accessibility Conformance Report is based on known conformance issues related to Virtual Agent for iOS. Other potential accessibility and usability issues may exist but are unknown at this time.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standards/guidelines:

| Standard/Guideline | Included in Report |
|--|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Level A Success Criteria

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS provides sufficient text alternatives for any instances of non-text content.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain prerecorded audio-only or video-only media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain prerecorded synchronized media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain prerecorded video content that would require audio description or a media alternative.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Visual structure and relationship information for Virtual Agent for iOS are provided through object information or are available in text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|----------------------------------|--|
| <p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Partially Supports</p> | <p>Content in Virtual Agent for iOS is presented in a meaningful sequence, with the following exception:</p> <ul style="list-style-type: none"> • Link list is not read in meaningful sequence. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Instructions in Virtual Agent for iOS do not rely solely on sensory characteristics.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS site content and functionality do not convey information through color alone.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain audio that plays automatically.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS functionality can be accessed and operated using a keyboard.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS does not include any known keyboard traps.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Virtual Agent for iOS does not use any single-key shortcuts, other than those restricted to a focused component.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS allows users to extend the session timeout as required.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------------|--|
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not include elements that move, blink, scroll, or auto-update.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain any flashing or strobing content.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Pages in Virtual Agent for iOS use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Pages in Virtual Agent for iOS have appropriate page titles.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|----------------------------------|---|
| <p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Partially Supports</p> | <p>Components in Virtual Agent for iOS receive focus in a meaningful order, with the following exception:</p> <ul style="list-style-type: none"> • Focus order of chat conversation does not preserve meaning and operability. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>The purpose of each link in Virtual Agent for iOS can be determined from the link text alone or from the programmatic context of the link.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------------|--|
| <p>2.5.1 Pointer Gestures (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Not Applicable</p> | <p>In Virtual Agent for iOS, there is no functionality that uses multipoint or path-based gestures to operate.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In Virtual Agent for iOS, the down-event of the pointer is not used to execute any part of the function.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>2.5.3 Label in Name</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Visual labels of components within Virtual Agent for iOS match the text associated with the programmatic names.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Not Applicable</p> | <p>In Virtual Agent for iOS, there is no functionality that can be operated by device motion or user motion.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>The default language of each page in Virtual Agent for iOS is identified.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Components in Virtual Agent for iOS do not initiate a change of context when in focus.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|----------------------------------|--|
| <p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Partially Supports</p> | <p>In Virtual Agent for iOS, changes of context do not occur automatically on user input, with the following exception:</p> <ul style="list-style-type: none"> • User is not notified of change of context on the screen when adding search text. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Where errors are automatically detected in Virtual Agent for iOS, the error is identified and an error message is provided as text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>A label is provided for each of the Virtual Agent for iOS's input fields.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS webpages use semantically correct markup for all interface elements and have complete start and end tags.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Not required • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>User interface components in Virtual Agent for iOS provide programmatic name, role, and/or state information.</p> |

Table 2: Level AA Success Criteria

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------------|--|
| <p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain live synchronized media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>Virtual Agent for iOS does not contain prerecorded video content that would require audio description.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Virtual Agent for iOS does not contain fixed orientation for page displays.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In Virtual Agent for iOS, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Text in Virtual Agent for iOS meets minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS uses text instead of images of text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Content in Virtual Agent for iOS can be presented without loss of information or functionality and without requiring scrolling in two dimensions, for a width equivalent to 320 CSS pixels or a height equivalent to 256 CSS pixels.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Components in Virtual Agent for iOS meet minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>1.4.12 Text Spacing (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Virtual Agent for iOS allows text style adjustments to meet the minimum thresholds of text spacing.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Virtual Agent for iOS allows hover content to be manually dismissed.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Virtual Agent for iOS provides more than one way of finding content, including a navigation bar, and search.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>2.4.6 Headings and Labels</u> (Level AA) Also applies to: EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Virtual Agent for iOS uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Focusable elements in the Virtual Agent for iOS have a visible keyboard focus indicator.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Within the Virtual Agent for iOS default webpages, the language of each portion of the page is programmatically determinable.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Virtual Agent for iOS provides consistent and repeatable navigation.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Components that have the same functionality within the Virtual Agent for iOS are identified consistently.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>When an error is automatically detected within a native data entry form in the Virtual Agent for iOS, the resulting error message provides suggestions for correction.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>No forms within Virtual Agent for iOS submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In Virtual Agent for iOS, status messages can be programmatically determined through role or properties so that they can be presented to the user by assistive technologies without receiving focus.</p> |

Table 3: Level AAA Success Criteria

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|---------------------------|---|
| 302.1 Without Vision | Partially Supports | With some minor exceptions noted above, Virtual Agent for iOS is functional to screen reading technology. |
| 302.2 With Limited Vision | Supports | Virtual Agent for iOS supports text and screen enlargement. |
| 302.3 Without Perception of Color | Supports | There is nothing within Virtual Agent for iOS where color alone is being used to convey information. |
| 302.4 Without Hearing | Supports | There is nothing within Virtual Agent for iOS that explicitly requires hearing. |
| 302.5 With Limited Hearing | Supports | There is nothing within Virtual Agent for iOS that explicitly requires hearing. |
| 302.6 Without Speech | Supports | There is nothing within Virtual Agent for iOS that explicitly requires speech. |
| 302.7 With Limited Manipulation | Supports | Features and functions within Virtual Agent for iOS can be manipulated via the keyboard. |
| 302.8 With Limited Reach and Strength | Supports | Features and functions within Virtual Agent for iOS can be manipulated via the keyboard. |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Supports | Certain terms and descriptions of features necessary for the use of Virtual Agent for iOS use |

| Criteria | Conformance Level | Remarks and Explanations |
|----------|-------------------|---|
| | | standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities. |

Chapter 4: Hardware

Notes: Not Applicable

Chapter 5: Software

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.x section | See information in WCAG 2.x section. |
| <u>502 Interoperability with Assistive Technology</u> | Heading cell – no response required | Does not apply to a web only application. |
| <u>503 Applications</u> | Heading cell – no response required | Does not apply to a web only application. |
| <u>504 Authoring Tools</u> | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”) | See WCAG 2.x section | See information in WCAG 2.x section. |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | Virtual Agent for iOS is not an authoring tool. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------|-----------------------|---|
| 504.2.2 PDF Export | Not Applicable | Virtual Agent for iOS is not an authoring tool. |
| 504.3 Prompts | Not Applicable | Virtual Agent for iOS is not an authoring tool. |
| 504.4 Templates | Not Applicable | Virtual Agent for iOS is not an authoring tool. |

Chapter 6: Support Documentation and Services

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| <u>602 Support Documentation</u> | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Not Applicable | <p>This report covers accessibility conformance for Virtual Agent for iOS and does not address Support Documentation or Support Services.</p> <p>For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 602.3 Electronic Support Documentation | See WCAG 2.x section | See information in WCAG 2.x section. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | This report covers accessibility conformance for Virtual Agent for iOS only and does not address Support Documentation or Support Services. |
| <u>603 Support Services</u> | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Not Applicable | This report covers accessibility conformance for Virtual Agent for iOS only and does not address Support Documentation or Support Services. |
| 603.3 Accommodation of Communication Needs | Not Applicable | This report covers accessibility conformance for Virtual Agent for iOS only and does not address Support Documentation or Support Services. |

EN 301 549 Report

Notes:

Chapter 4: Functional Performance Statements (FPS)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|---------------------------|---|
| 4.2.1 Usage without vision | Partially Supports | With some minor exceptions noted above, Virtual Agent for iOS is functional to screen reading technology. |
| 4.2.2 Usage with limited vision | Supports | Virtual Agent for iOS supports text and screen enlargement. |
| 4.2.3 Usage without perception of color | Supports | There is nothing within Virtual Agent for iOS where color alone is being used to convey information. |
| 4.2.4 Usage without hearing | Supports | There is nothing within Virtual Agent for iOS that explicitly requires hearing. |
| 4.2.5 Usage with limited hearing | Supports | There is nothing within Virtual Agent for iOS that explicitly requires hearing. |
| 4.2.6 Usage with no or limited vocal capability | Supports | There is nothing within Virtual Agent for iOS that explicitly requires speech. |
| 4.2.7 Usage with limited manipulation or strength | Supports | Features and functions within Virtual Agent for iOS can be manipulated via the keyboard. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| 4.2.8 Usage with limited reach | Supports | Features and functions within Virtual Agent for iOS can be manipulated via the keyboard. |
| 4.2.9 Minimize photosensitive seizure triggers | Supports | There is nothing within Virtual Agent for iOS that would act as a photosensitive seizure trigger. |
| 4.2.10 Usage with limited cognition, language, or learning | Supports | Certain terms and descriptions of features necessary for the use of Virtual Agent for iOS use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities. |
| 4.2.11 Privacy | Supports | Virtual Agent for iOS has systems in place to protect the privacy of individual users. |

Chapter 5: Generic Requirements

Notes: Not Applicable – There is no closed functionality in Virtual Agent for iOS.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not Applicable

Chapter 7: ICT with Video Capabilities

Notes: Not Applicable

Chapter 8: Hardware

Notes: Not Applicable

Chapter 9: Web (See WCAG 2.x section)

Notes:

Chapter 10: Non-Web Software

Notes: Not Applicable

Chapter 11: Software

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 11.0 General (informative) | Heading cell – no response required | Heading cell – no response required |
| 11.1.1.1 through 11.4.1.3 | See WCAG 2.x section | See information in WCAG 2.x section. |
| 11.5 Interoperability with assistive technology | Heading cell – no response required | Heading cell – no response required |
| 11.5.1 Closed functionality | Heading cell – no response required | Heading cell – no response required |
| 11.5.2 Accessibility services | Heading cell – no response required | Heading cell – no response required |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17. |
| 11.5.2.2 Platform accessibility service support for assistive technologies | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17. |
| 11.5.2.3 Use of accessibility services | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.4 Assistive technology | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-----------------------|--|
| 11.5.2.5 Object information | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.6 Row, column, and headers | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.7 Values | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.8 Label relationships | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.9 Parent-child relationships | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.10 Text | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.11 List of available actions | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.12 Execution of available actions | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.13 Tracking of focus and selection attributes | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.14 Modification of focus and selection attributes | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|--|--|
| 11.5.2.15 Change notification | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.16 Modifications of states and properties | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.5.2.17 Modifications of values and text | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.6 Documented accessibility usage | Heading cell – no response required | Heading cell – no response required |
| 11.6.1 User control of accessibility features | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.6.2 No disruption of accessibility features | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.7 User preferences | Not Applicable | Virtual Agent for iOS is a mobile application that relies on user-agent functionality. |
| 11.8 Authoring tools | Heading cell – no response required | Heading cell – no response required |
| 11.8.1 Content technology | Heading cell – no response required | Heading cell – no response required |
| 11.8.2 Accessible content creation | See WCAG 2.x section (If not authoring tool, enter “Not Applicable”) | See information in WCAG 2.x section. |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable | Virtual Agent for iOS is not an authoring tool. |

| Criteria | Conformance Level | Remarks and Explanations |
|--------------------------|-----------------------|---|
| 11.8.4 Repair assistance | Not Applicable | Virtual Agent for iOS is not an authoring tool. |
| 11.8.5 Templates | Not Applicable | Virtual Agent for iOS is not an authoring tool. |

Chapter 12: Documentation and Support Services

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Not Applicable | This report covers accessibility conformance for the Virtual Agent for iOS only and does not address Documentation or Support Services. For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site. |
| 12.1.2 Accessible documentation | See WCAG 2.x section | See information in WCAG 2.x section. |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-----------------------|---|
| 12.2.2 Information on accessibility and compatibility features | Not Applicable | This report covers accessibility conformance for the Virtual Agent for iOS only and does not address Documentation or Support Services. |
| 12.2.3 Effective communication | Not Applicable | This report covers accessibility conformance for the Virtual Agent for iOS only and does not address Documentation or Support Services. |
| 12.2.4 Accessible documentation | See WCAG 2.x section | See information in WCAG 2.x section. |

Chapter 13: ICT Providing Relay or Emergency Service Access

Notes: Not Applicable

Legal Disclaimer (Company)

© 2023 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow's conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided "as is" and for informational purposes only.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408) 501-8550