

IT Asset Management Accessibility Conformance Report

International Edition

Based on VPAT® Version 2.4

Report Details

| Field | Description |
|---------------------|---|
| Name of Product | ServiceNow® IT Asset Management |
| Version | Vancouver |
| Report Date | May 9, 2024 |
| Product Description | IT Asset Management manages software licenses and hardware assets with intuitive workflows and life cycle visibility. |
| Contact Information | accessibility@servicenow.com |
| Notes | <ul style="list-style-type: none"> • This product is a web-only application. The information contained in this report only applies to this release of this application. • Accessibility conformance details for other ServiceNow products are covered in separate reports. See Accessibility Conformance Reports on the Product Documentation site. • Any customization of this application or the Now Platform may have an impact on the specifics in this report. • This version of the report replaces the Utah IT Asset Management version dated September 7, 2023. |

Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, VoiceOver, TalkBack, and ZoomText. Additionally, the keyboard was used exclusively to navigate and operate the product content and functionality.
- The evaluation process used a combination of independent 3rd party assessments and automated checks, as well as human testing/evaluation of specific workflows.

This Accessibility Conformance Report is based on known conformance issues related to IT Asset Management. Other potential accessibility and usability issues may exist but are unknown at this time.

Applicable Standards/Guidelines

This report covers the degree of conformance to the following accessibility standards/guidelines:

| Standard/Guideline | Included in Report |
|--|---|
| Web Content Accessibility Guidelines 2.0 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Web Content Accessibility Guidelines 2.1 | Level A (Yes) Level AA (Yes) Level AAA (No) |
| Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018 | (Yes) |
| EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11) | (Yes) |

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Level A Success Criteria

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------|---|
| <p><u>1.1.1 Non-text Content</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.1.1 (Web)• 10.1.1.1 (Non-web document)• 11.1.1.1.1 (Open Functionality Software)• 11.1.1.1.2 (Closed Functionality Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management provides sufficient text alternatives for any instances of non-text content.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.1 Audio-only and Video-only (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain prerecorded audio-only or video-only media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain prerecorded synchronized media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain prerecorded video content that would require audio description or a media alternative.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.1 (Web)• 10.1.3.1 (Non-web document)• 11.1.3.1.1 (Open Functionality Software)• 11.1.3.1.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>Visual structure and relationship information for IT Asset Management are provided through object information or are available in text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.2 (Web)• 10.1.3.2 (Non-web document)• 11.1.3.2.1 (Open Functionality Software)• 11.1.3.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>Content in IT Asset Management is presented in a meaningful sequence.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Instructions in IT Asset Management do not rely solely on sensory characteristics.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management site content and functionality do not convey information through color alone.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------------|---|
| <p><u>1.4.2 Audio Control</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain audio that plays automatically.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>2.1.1 Keyboard</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management functionality can be accessed and operated using a keyboard.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>2.1.2 No Keyboard Trap</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management does not include any known keyboard traps.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.1.4 Character Key Shortcuts</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>IT Asset Management does not use any single-key shortcuts, other than those restricted to a focused component.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>2.2.1 Timing Adjustable</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management allows users to extend the session timeout as required.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| <p><u>2.2.2 Pause, Stop, Hide</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.2.2 (Web)• 10.2.2.2 (Non-web document)• 11.2.2.2 (Open Functionality Software)• 11.2.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management does not include elements that move, blink, scroll, or auto-update.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.3.1 (Web)• 10.2.3.1 (Non-web document)• 11.2.3.1 (Open Functionality Software)• 11.2.3.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management does not contain any flashing or strobing content.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Pages in IT Asset Management use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.4.2 Page Titled</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Pages in IT Asset Management have appropriate page titles.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.2.4.3 (Web)• 10.2.4.3 (Non-web document)• 11.2.4.3 (Open Functionality Software)• 11.2.4.3 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>Components in IT Asset Management receive focus in a meaningful order.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>The purpose of each link in IT Asset Management can be determined from the link text alone or from the programmatic context of the link.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Not Applicable</p> | <p>In IT Asset Management, there is no functionality that uses multipoint or path-based gestures to operate.</p> |
| <p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In IT Asset Management, the down-event of the pointer is not used to execute any part of the function.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>2.5.3 Label in Name</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Visual labels of components within IT Asset Management match the text associated with the programmatic names.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|--|
| <p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Not Applicable</p> | <p>In IT Asset Management, there is no functionality that can be operated by device motion or user motion.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>The default language of each page in IT Asset Management is identified using the LANG attribute in the HTML element.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.2.1 (Web)• 10.3.2.1 (Non-web document)• 11.3.2.1 (Open Functionality Software)• 11.3.2.1 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>Components in IT Asset Management do not initiate a change of context when in focus.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.3.2.2 (Web)• 10.3.2.2 (Non-web document)• 11.3.2.2 (Open Functionality Software)• 11.3.2.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Supports</p> | <p>In IT Asset Management, changes in context do not occur automatically on user input.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Where errors are automatically detected in IT Asset Management, the error is identified and an error message is provided as text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|----------------------------------|---|
| <p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Partially Supports</p> | <p>A label is provided for each of IT Asset Management's input fields, with the following exception:</p> <ul style="list-style-type: none"> • Fields on the Sourcing page should have an aria-label. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>4.1.1 Parsing (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management webpages use semantically correct markup for all interface elements and have complete start and end tags.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>4.1.2 Name, Role, Value</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Not required • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>User interface components in IT Asset Management provide programmatic name, role, and/or state information.</p> |

Table 2: Level AA Success Criteria

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------------|--|
| <p><u>1.2.4 Captions (Live)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.2.4 (Web)• 10.1.2.4 (Non-web document)• 11.1.2.4 (Open Functionality Software)• 11.1.2.4 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none">• 501 (Web)(Software)• 504.2 (Authoring Tool)• 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain live synchronized media.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------------|---|
| <p><u>1.2.5 Audio Description (Prerecorded)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Not Applicable</p> | <p>IT Asset Management does not contain prerecorded video content that would require audio description.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>1.3.4 Orientation</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>IT Asset Management does not contain fixed orientation for page displays.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>1.3.5 Identify Input Purpose</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.3.5 (Web)• 10.1.3.5 (Non-web document)• 11.1.3.5.1 (Open Functionality Software)• 11.1.3.5.2 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In IT Asset Management, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Text in IT Asset Management meets minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>1.4.5 Images of Text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management uses text instead of images of text.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>IT Asset Management content reflows at different screen widths without loss of information or functionality, and without requiring scrolling in two dimensions.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>Components in IT Asset Management meet minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>IT Asset Management allows text style adjustments to meet the minimum thresholds for text spacing.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.1.4.13 (Web)• 10.1.4.13 (Non-web document)• 11.1.4.13 (Open Functionality Software)• 11.1.4.13 (Closed Software)• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>IT Asset Management allows hover content to be manually dismissed.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>IT Asset Management provides more than one way of finding content, including a navigation bar, and search.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p><u>2.4.6 Headings and Labels</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>IT Asset Management uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Focusable elements in IT Asset Management have a visible keyboard focus indicator.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>Within IT Asset Management default webpages, the language of each portion of the page is programmatically determinable.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>IT Asset Management provides consistent and repeatable navigation.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|--|
| <p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs | <p>Supports</p> | <p>Components that have the same functionality within IT Asset Management are identified consistently.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|------------------------|---|
| <p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>When an error is automatically detected within a native data entry form in IT Asset Management, the resulting error message provides suggestions for correction.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|---|
| <p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) | <p>Supports</p> | <p>No forms within IT Asset Management submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|---|------------------------|--|
| <p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none">• 9.4.1.3 (Web)• 10.4.1.3 (Non-web document)• 11.4.1.3 (Open Functionality Software)• 11.4.1.3 (Closed Software) – Does not apply• 11.8.2 (Authoring Tool)• 12.1.2 (Product Docs)• 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p> | <p>Supports</p> | <p>In IT Asset Management, status messages can be programmatically determined through roles or properties so that they can be presented to the user by assistive technologies without receiving focus.</p> |

Table 3: Level AAA Success Criteria

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------------|-------------------|--|
| 302.1 Without Vision | Supports | IT Asset Management is functional to screen reading technology. |
| 302.2 With Limited Vision | Supports | IT Asset Management supports text and screen enlargement. |
| 302.3 Without Perception of Color | Supports | There is nothing within IT Asset Management where color alone is being used to convey information. |
| 302.4 Without Hearing | Supports | There is nothing within IT Asset Management that explicitly requires hearing. |
| 302.5 With Limited Hearing | Supports | There is nothing within IT Asset Management that explicitly requires hearing. |
| 302.6 Without Speech | Supports | There is nothing within IT Asset Management that explicitly requires speech. |
| 302.7 With Limited Manipulation | Supports | Features and functions within IT Asset Management can be manipulated via the keyboard. |
| 302.8 With Limited Reach and Strength | Supports | Features and functions within IT Asset Management can be manipulated via the keyboard. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---------------------------|---|
| 302.9 With Limited Language, Cognitive, and Learning Abilities | Partially Supports | Certain terms and descriptions of features necessary for the use of IT Asset Management use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities. |

Chapter 4: Hardware

Notes: Not Applicable

Chapter 5: Software

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|--|
| 501.1 Scope – Incorporation of WCAG 2.0 AA | See WCAG 2.x section | See information in WCAG 2.x section. |
| 502 Interoperability with Assistive Technology | Heading cell – no response required | Does not apply to a web-only application. |
| 503 Applications | Heading cell – no response required | Does not apply to a web-only application. |
| 504 Authoring Tools | Heading cell – no response required | Heading cell – no response required |
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”) | Not Applicable | See information in WCAG 2.x section. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-----------------------|---|
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | Not Applicable | IT Asset Management is not an authoring tool. |
| 504.2.2 PDF Export | Not Applicable | IT Asset Management is not an authoring tool. |
| 504.3 Prompts | Not Applicable | IT Asset Management is not an authoring tool. |
| 504.4 Templates | Not Applicable | IT Asset Management is not an authoring tool. |

Chapter 6: Support Documentation and Services

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 601.1 Scope | Heading cell – no response required | Heading cell – no response required |
| <u>602 Support Documentation</u> | Heading cell – no response required | Heading cell – no response required |
| 602.2 Accessibility and Compatibility Features | Not Applicable | <p>This report covers accessibility conformance for IT Asset Management and does not address Support Documentation or Support Services.</p> <p>For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site.</p> |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 602.3 Electronic Support Documentation | See WCAG 2.x section | See information in WCAG 2.x section. |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Support Documentation or Support Services. |
| 603 Support Services | Heading cell – no response required | Heading cell – no response required |
| 603.2 Information on Accessibility and Compatibility Features | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Support Documentation or Support Services. |
| 603.3 Accommodation of Communication Needs | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Support Documentation or Support Services. |

EN 301 549 Report

Notes:

Chapter 4: Functional Performance Statements (FPS)

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------|--|
| 4.2.1 Usage without vision | Supports | IT Asset Management is functional to screen reading technology. |
| 4.2.2 Usage with limited vision | Supports | IT Asset Management supports text and screen enlargement. |
| 4.2.3 Usage without perception of color | Supports | There is nothing within IT Asset Management where color alone is being used to convey information. |
| 4.2.4 Usage without hearing | Supports | There is nothing within IT Asset Management that explicitly requires hearing. |
| 4.2.5 Usage with limited hearing | Supports | There is nothing within IT Asset Management that explicitly requires hearing. |
| 4.2.6 Usage with no or limited vocal capability | Supports | There is nothing within IT Asset Management that explicitly requires speech. |
| 4.2.7 Usage with limited manipulation or strength | Supports | Features and functions within IT Asset Management can be manipulated via the keyboard. |
| 4.2.8 Usage with limited reach | Supports | Features and functions within IT Asset Management can be manipulated via the keyboard. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|---------------------------|---|
| 4.2.9 Minimize photosensitive seizure triggers | Supports | There is nothing within IT Asset Management that would act as a photosensitive seizure trigger. |
| 4.2.10 Usage with limited cognition, language, or learning | Partially Supports | Certain terms and descriptions of features necessary for the use of IT Asset Management use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities. |
| 4.2.11 Privacy | Supports | IT Asset Management has systems in place to protect the privacy of individual users. |

Chapter 5: Generic Requirements

Notes: Not Applicable – There is no closed functionality in IT Asset Management.

Chapter 6: ICT with Two-Way Voice Communication

Notes: Not Applicable

Chapter 7: ICT with Video Capabilities

Notes: Not Applicable

Chapter 8: Hardware

Notes: Not Applicable

Chapter 9: Web (See WCAG 2.x section)

Notes:

Chapter 10: Non-Web Software

Notes: Not Applicable

Chapter 11: Software

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 11.0 General (informative) | Heading cell – no response required | Heading cell – no response required |
| 11.1.1.1 through 11.4.1.3 | See WCAG 2.x section | See information in WCAG 2.x section. |
| 11.5 Interoperability with assistive technology | Heading cell – no response required | Heading cell – no response required |
| 11.5.1 Closed functionality | Heading cell – no response required | Heading cell – no response required |
| 11.5.2 Accessibility services | Heading cell – no response required | Heading cell – no response required |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17. |
| 11.5.2.2 Platform accessibility service support for assistive technologies | See 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17. |
| 11.5.2.3 Use of accessibility services | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.4 Assistive technology | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.5 Object information | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|--|-----------------------|---|
| 11.5.2.6 Row, column, and headers | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.7 Values | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.8 Label relationships | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.9 Parent-child relationships | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.10 Text | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.11 List of available actions | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.12 Execution of available actions | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.13 Tracking of focus and selection attributes | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.14 Modification of focus and selection attributes | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.15 Change notification | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |

| Criteria | Conformance Level | Remarks and Explanations |
|---|-------------------------------------|---|
| 11.5.2.16 Modifications of states and properties | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.5.2.17 Modifications of values and text | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.6 Documented accessibility usage | Heading cell – no response required | Heading cell – no response required |
| 11.6.1 User control of accessibility features | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.6.2 No disruption of accessibility features | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.7 User preferences | Not Applicable | IT Asset Management is a web-based application that relies on user-agent functionality. |
| 11.8 Authoring tools | Heading cell – no response required | Heading cell – no response required |
| 11.8.1 Content technology | Heading cell – no response required | Heading cell – no response required |
| 11.8.2 Accessible content creation | Not Applicable | See information in WCAG 2.x section. |
| 11.8.3 Preservation of accessibility information in transformations | Not Applicable | IT Asset Management is not an authoring tool. |
| 11.8.4 Repair assistance | Not Applicable | IT Asset Management is not an authoring tool. |
| 11.8.5 Templates | Not Applicable | IT Asset Management is not an authoring tool. |

Chapter 12: Documentation and Support Services

Notes:

| Criteria | Conformance Level | Remarks and Explanations |
|--|-------------------------------------|---|
| 12.1 Product documentation | Heading cell – no response required | Heading cell – no response required |
| 12.1.1 Accessibility and compatibility features | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Documentation or Support Services. For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site. |
| 12.1.2 Accessible documentation | See WCAG 2.x section | See information in WCAG 2.x section. |
| 12.2 Support Services | Heading cell – no response required | Heading cell – no response required |
| 12.2.2 Information on accessibility and compatibility features | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Documentation or Support Services. |
| 12.2.3 Effective communication | Not Applicable | This report covers accessibility conformance for IT Asset Management only and does not address Documentation or Support Services. |

| Criteria | Conformance Level | Remarks and Explanations |
|---------------------------------|----------------------|--------------------------------------|
| 12.2.4 Accessible documentation | See WCAG 2.x section | See information in WCAG 2.x section. |

Chapter 13: [ICT Providing Relay or Emergency Service Access](#)

Notes: Not Applicable

Legal Disclaimer (Company)

© 2024 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow's conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided "as is" and for informational purposes only.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408) 501-8550