

UI Builder Accessibility Conformance Report

International Edition

Based on VPAT® Version 2.5

Report Details

Field	Description
Name of Product	ServiceNow® UI Builder
Version	Xanadu
Report Date	May 01, 2025
Product Description	Can be used to build pages for configurable workspaces, App Engine Studio generated workspaces and portals, and custom web experiences using Next Experience components and custom web components.
Contact Information	accessibility@servicenow.com
Notes	<ul style="list-style-type: none"> • This product is a web-only application. The information contained in this report only applies to this release of this application. • Accessibility conformance details for other ServiceNow products are covered in separate reports. See Accessibility Conformance Reports on the Product Documentation site. • Any customization of this application or the Now Platform may have an impact on the specifics in this report. • This version of the report replaces the Washington DC UI Builder version dated September 4, 2025.

Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, VoiceOver, TalkBack, and ZoomText. Additionally, the keyboard was used exclusively to navigate and operate the product content and functionality.
- The evaluation process used a combination of independent 3rd party assessments and automated checks, as well as human testing/evaluation of specific workflows.
- This Accessibility Conformance Report is based on known conformance issues related to UI Builder. Other potential accessibility and usability issues may exist but are unknown at this time.

Applicable Standards/Guidelines

This report covers the degree of conformance to the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder provides sufficient text alternatives for any instances of non-text content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>UI Builder does not contain prerecorded audio-only or video-only media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.2 Captions (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>UI Builder does not contain prerecorded synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>UI Builder does not contain prerecorded video content that would require audio description or a media alternative.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Visual structure and relationship information for UI Builder are provided through object information or are available in text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.2 Meaningful Sequence (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Content in UI Builder is presented in a meaningful sequence.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Instructions in UI Builder do not rely solely on sensory characteristics.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder site content and functionality do not convey information through color alone.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder does not contain audio that plays automatically.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder functionality can be accessed and operated using a keyboard.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder does not include any known keyboard traps.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder does not use any single-key shortcuts, other than those restricted to a focused component.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder allows users to extend the session timeout as required.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder does not include elements that move, blink, scroll, or auto-update.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder does not contain any flashing or strobing content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Pages in UI Builder use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Pages in UI Builder have appropriate page titles.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> 9.2.4.3 (Web) 10.2.4.3 (Non-web document) 11.2.4.3 (Open Functionality Software) 11.2.4.3 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Components in UI Builder receive focus in a meaningful order, with the following exceptions:</p> <ul style="list-style-type: none"> The "Learn more about variants" link does not receive focus. The "Audience" and "Conditions" tooltips do not receive focus. The choose custom image "browse" link does not receive keyboard focus. The keyboard focus is reset to the top of page after binding data. The form controller modal does not receive focus after opening. The modeless dialog tooltip does not receive focus. The undo list items do not receive focus. The column layout properties' expanded menus do not receive screen reader focus.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.4 Link Purpose (In Context) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The purpose of each link in UI Builder can be determined from the link text alone or from the programmatic context of the link.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, there is no functionality that uses multipoint or path-based gestures to operate.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, the down-event of the pointer is not used to execute any part of the function.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Visual labels of components within UI Builder match the text associated with the programmatic names.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, there is no functionality that can be operated by device motion or user motion.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The default language of each page in UI Builder is identified using the LANG attribute in the HTML element.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Components in UI Builder do not initiate a change of context when in focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>In UI Builder, changes in context do not occur automatically on user input.</p>
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder provides help mechanisms on all applicable pages to assist users in completing forms and other tasks requiring input.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Where errors are automatically detected in UI Builder, the error is identified, and an error message is provided as text, with the following exception:</p> <ul style="list-style-type: none"> • Create Experience errors are not identified with text.

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.2 Labels or Instructions (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>A label is provided for each UI Builder input fields.</p>
<p>3.3.7 Redundant Entry (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, fields are automatically populated when a user has previously entered this information during the same session.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>User interface components in UI Builder provide programmatic name, role, and/or state information, with the following exception:</p> <ul style="list-style-type: none"> • The general treenode on the event settings page has a label of "object object".

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>UI Builder does not contain live synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) • Revised Section 508 <p>501 (Web)(Software)</p> <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>UI Builder does not contain prerecorded video content that would require audio description.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder does not contain fixed orientation for page displays.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Text in UI Builder meets minimum contrast requirements, including the text color on hover and focus states.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder uses text instead of images of text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Partially Supports</p>	<p>UI Builder content reflows at different screen widths without loss of information or functionality and without requiring scrolling in two dimensions, with the following exceptions:</p> <ul style="list-style-type: none"> • The Settings page presents with loss of content. • The Page Editor content is not accessible. • The Experience home page has truncated content. • The “Create variant” modal has truncated content.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Components in UI Builder meet minimum contrast requirements, including the text color on hover and focus states.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder allows text style adjustments to meet the minimum thresholds for text spacing.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder allows hover content to be manually dismissed.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>UI Builder provides more than one way of finding content, including a navigation bar and search.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>UI Builder uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Focusable elements in UI Builder have a visible keyboard focus indicator.</p>
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In UI Builder, the focus indicator is consistently displayed around interactive elements without being obscured by overlapping content or other UI components.</p>
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Not Applicable</p>	<p>UI Builder does not require movements that require dragging motions to operate.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.8 Target Size (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>UI Builder includes interactive elements such as buttons, icons, and links, that are designed with a minimum target size of 24 by 24 CSS pixels except in cases where this would conflict with design or content flow.</p>
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Within UI Builder default webpages, the language of each portion of the page is programmatically determinable.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>UI Builder provides consistent and repeatable navigation.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Components that have the same functionality within UI Builder are identified consistently.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>When an error is automatically detected within a native data entry form in UI Builder, the resulting error message provides suggestions for correction.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>No forms within UI Builder submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p>
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Not Applicable</p>	<p>UI Builder does not require cognitive testing during authentication processes.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Partially Supports</p>	<p>In UI Builder, status messages can be programmatically determined through roles or properties so that they can be presented to the user by assistive technologies without receiving focus, with the following exception:</p> <ul style="list-style-type: none"> • Search results are not announced for add component modal.

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	With some minor exceptions noted above, UI Builder is functional to screen reading technology.
302.2 With Limited Vision	Supports	UI Builder supports text and screen enlargement.
302.3 Without Perception of Color	Supports	There is nothing within UI Builder where color alone is being used to convey information.
302.4 Without Hearing	Supports	There is nothing within UI Builder that explicitly requires hearing.
302.5 With Limited Hearing	Supports	There is nothing within UI Builder that explicitly requires hearing.
302.6 Without Speech	Supports	There is nothing within UI Builder that explicitly requires speech.
302.7 With Limited Manipulation	Supports	Features and functions within UI Builder can be manipulated via the keyboard.
302.8 With Limited Reach and Strength	Supports	Features and functions within UI Builder can be manipulated via the keyboard.

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Certain terms and descriptions of features necessary for the use of UI Builder use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities.

Chapter 4: [Hardware](#)

Notes: Not Applicable

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Does not apply to a web-only application.
503 Applications	Heading cell – no response required	Does not apply to a web-only application.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	UI Builder is not an authoring tool.

Criteria	Conformance Level	Remarks and Explanations
504.2.2 PDF Export	Not Applicable	UI Builder is not an authoring tool.
504.3 Prompts	Not Applicable	UI Builder is not an authoring tool.
504.4 Templates	Not Applicable	UI Builder is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for UI Builder and does not address Support Documentation or Support Services. For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Support Documentation or Support Services

Criteria	Conformance Level	Remarks and Explanations
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Support Documentation or Support Services.
603.3 Accommodation of Communication Needs	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Support Documentation or Support Services.

EN 301 549 Report

Notes:

Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	With some [minor] exceptions noted above, UI Builder is functional to screen reading technology.
4.2.2 Usage with limited vision	Partially Supports	With some [minor] exceptions noted above, UI Builder supports text and screen enlargement.
4.2.3 Usage without perception of colour	Supports	There is nothing within UI Builder where color alone is being used to convey information.

Criteria	Conformance Level	Remarks and Explanations
4.2.4 Usage without hearing	Supports	There is nothing within UI Builder that explicitly requires hearing.
4.2.5 Usage with limited hearing	Supports	There is nothing within UI Builder that explicitly requires hearing.
4.2.6 Usage with no or limited vocal capability	Supports	There is nothing within UI Builder that explicitly requires speech.
4.2.7 Usage with limited manipulation or strength	Supports	Features and functions within UI Builder can be manipulated via the keyboard.
4.2.8 Usage with limited reach	Supports	Features and functions within UI Builder can be manipulated via the keyboard.
4.2.9 Minimize photosensitive seizure triggers	Supports	There is nothing within UI Builder that would act as a photosensitive seizure trigger.
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Certain terms and descriptions of features necessary for the use of UI Builder use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities.
4.2.11 Privacy	Supports	UI Builder has systems in place to protect the privacy of individual users.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	UI Builder does not have closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	UI Builder does not have closed functionality.
5.1.3.3 Auditory output correlation	Not Applicable	UI Builder does not have closed functionality.
5.1.3.4 Speech output user control	Not Applicable	UI Builder does not have closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	UI Builder does not have closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	UI Builder does not have closed functionality.
5.1.3.7 Speech output for video information	Not Applicable	UI Builder does not have closed functionality.
5.1.3.8 Masked entry	Not Applicable	UI Builder does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.9 Private access to personal data	Not Applicable	UI Builder does not have closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	UI Builder does not have closed functionality.
5.1.3.11 Private listening volume	Not Applicable	UI Builder does not have closed functionality.
5.1.3.12 Speaker volume	Not Applicable	UI Builder does not have closed functionality.
5.1.3.13 Volume reset	Not Applicable	UI Builder does not have closed functionality.
5.1.3.14 Spoken languages	Not Applicable	UI Builder does not have closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	UI Builder does not have closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	UI Builder does not have closed functionality.
5.1.4 Functionality closed to text enlargement	Not Applicable	UI Builder does not have closed functionality.
5.1.5 Visual output for auditory information	Not Applicable	UI Builder does not have closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	UI Builder does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.7 Access without speech	Not Applicable	UI Builder does not have closed functionality.
5.2 Activation of accessibility features	Not Applicable	UI Builder does not have closed functionality.
5.3 Biometrics	Not Applicable	UI Builder does not have closed functionality.
5.4 Preservation of accessibility information during conversion	Not Applicable	UI Builder does not have closed functionality.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	UI Builder does not have closed functionality.
5.5.2 Operable parts discernibility	Not Applicable	UI Builder does not have closed functionality.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	UI Builder does not have closed functionality.
5.6.2 Visual status	Not Applicable	UI Builder does not have closed functionality.
5.7 Key repeat	Not Applicable	UI Builder does not have closed functionality.
5.8 Double-strike key acceptance	Not Applicable	UI Builder does not have closed functionality.
5.9 Simultaneous user actions	Not Applicable	UI Builder does not have closed functionality.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Chapter [7: ICT with Video Capabilities](#)

Notes: Not Applicable

Chapter [8: Hardware](#)

Notes: Not applicable

Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes:

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	UI Builder does not have non-web documents that contain synchronized media.
10.6 Audio description timing	Not Applicable	UI Builder does not have non-web documents that contain synchronized media.

Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.5 Object information	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.6 Row, column, and headers	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.7 Values	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.8 Label relationships	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.9 Parent-child relationships	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.10 Text	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.11 List of available actions	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.12 Execution of available actions	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.14 Modification of focus and selection attributes	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.15 Change notification	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.16 Modifications of states and properties	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.5.2.17 Modifications of values and text	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.6.2 No disruption of accessibility features	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.7 User preferences	Not Applicable	UI Builder is a web-based application that relies on user-agent functionality.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	UI Builder is not an authoring tool.
11.8.4 Repair assistance	Not Applicable	UI Builder is not an authoring tool.
11.8.5 Templates	Not Applicable	UI Builder is not an authoring tool.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Documentation or Support Services. For Product Documentation accessibility conformance, see the Product Documentation site ACR on the Accessibility Conformance Reports page of the Product Documentation site.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Documentation or Support Services.
12.2.3 Effective communication	Not Applicable	This report covers accessibility conformance for UI Builder only and does not address Documentation or Support Services.

Criteria	Conformance Level	Remarks and Explanations
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable

Legal Disclaimer (Company)

© 2025 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow’s conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided “as is” and for informational purposes only.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408) 501-8550