

GRC: Continuous Authorization and Monitoring Workspace Accessibility Conformance Report

International Edition
Based on VPAT® Version 2.5

Report Details

Field	Description
Name of Product	ServiceNow® GRC: Continuous Authorization and Monitoring Workspace
Version	Yokohama
Report Date	February 5, 2026
Product Description	Helps governmental organizations and contractors, critical infrastructure, and other high-assurance organizations manage their compliance with cyber risk management frameworks.
Contact Information	accessibility@servicenow.com
Notes	<ul style="list-style-type: none"> • This product is a web-only application. The information contained in this report only applies to this release of this application. • Accessibility conformance details for other ServiceNow products are covered in separate reports. See Accessibility Conformance Reports on the Product Documentation site. • Any customization of this application or the ServiceNow AI Platform may have an impact on the specifics in this report.

Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, VoiceOver, TalkBack, and ZoomText. Additionally, the keyboard was used exclusively to navigate and operate the product content and functionality.
- The evaluation process used a combination of independent 3rd party assessments and automated checks, as well as human testing/evaluation of specific workflows.
- This Accessibility Conformance Report is based on known conformance issues related to GRC: Continuous Authorization and Monitoring Workspace. Other potential accessibility and usability issues may exist but are unknown at this time.

Applicable Standards/Guidelines

This report covers the degree of conformance to the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace provides sufficient text alternatives for any instances of non-text content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain prerecorded audio-only or video-only media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain prerecorded synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain pre-recorded video content that would require audio description or a media alternative.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Visual structure and relationship information for GRC: Continuous Authorization and Monitoring Workspace are provided through object information or are available in text, with the following exceptions:</p> <ul style="list-style-type: none"> • In the Authorization Boundary record, "Click to add..." links have insufficient descriptions. • Fields on the "Boundary Filter New Record" page are visibly indicated as required but are not announced by the screen reader as required. • On the timeline list of stages, a completed stage is indicated with a check but is not announced with an accessible relationship as completed.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Content in GRC: Continuous Authorization and Monitoring Workspace is presented in a meaningful sequence.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Instructions in GRC: Continuous Authorization and Monitoring Workspace do not rely solely on sensory characteristics.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace site content and functionality do not convey information through color alone.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain audio that plays automatically.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace functionality can be accessed and operated using a keyboard.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not include any known keyboard traps.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not use any single-key shortcuts, other than those restricted to a focused component.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace allows users to extend the session timeout as required.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not include elements that move, blink, scroll, or auto-update.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.3.1 Three Flashes or Below Threshold</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain any flashing or strobing content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Pages in GRC: Continuous Authorization and Monitoring Workspace use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Pages in GRC: Continuous Authorization and Monitoring Workspace have appropriate page titles.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Components in GRC: Continuous Authorization and Monitoring Workspace receive focus in a meaningful order, with the following exceptions:</p> <ul style="list-style-type: none"> • The Collection and Information Types lists have a disorienting focus order. • The Focus lands on the "Name" field and skips important content when opening a new record form.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The purpose of each link in GRC: Continuous Authorization and Monitoring Workspace can be determined from the link text alone or from the programmatic context of the link.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, there is no functionality that uses multipoint or path-based gestures to operate.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, the down-event of the pointer is not used to execute any part of the function.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Partially Supports</p>	<p>Visual labels of components within GRC: Continuous Authorization and Monitoring Workspace match the text associated with the programmatic names, with the following exception:</p> <ul style="list-style-type: none"> • The links on the Authorization Boundary New Record page have accessible names that do not include visible text.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, there is no functionality that can be operated by device motion or user motion.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The default language of each page in GRC: Continuous Authorization and Monitoring Workspace is identified using the LANG attribute in the HTML element.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Components in GRC: Continuous Authorization and Monitoring Workspace do not initiate a change of context when in focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, changes in context do not occur automatically on user input.</p>
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace provides help mechanisms on all applicable pages to assist users in completing forms and other tasks requiring input.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.1 Error Identification</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Where errors are automatically detected in GRC: Continuous Authorization and Monitoring Workspace, the error is identified, and an error message is provided as text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>A label is provided for each input field in GRC: Continuous Authorization and Monitoring Workspace, with the following exceptions:</p> <ul style="list-style-type: none"> • When users create a new Authorization Boundary record, the aria for Asterisk icon associated with "System Owner" is labeled as "Field value has changed since last update". • A text legend is not provided for the asterisk that indicates required field.
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, fields are automatically populated when a user has previously entered this information during the same session.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>User interface components in GRC: Continuous Authorization and Monitoring Workspace provide programmatic name, role, and/or state information, with the following exception:</p> <ul style="list-style-type: none"> • The “Help” icon lacks a name below the “Collection” search field.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain live synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.5 Audio Description</u> (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) • Revised Section 508 <p>501 (Web)(Software)</p> <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain prerecorded video content that would require audio description.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not contain fixed orientation for page displays.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Text in GRC: Continuous Authorization and Monitoring Workspace meets minimum contrast requirements, including the text color on hover and focus states, with the following exception:</p> <ul style="list-style-type: none"> • The text in the Engagements section does not meet minimum contrast requirements.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace uses text instead of images of text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Content in GRC: Continuous Authorization and Monitoring Workspace cannot be presented without loss of information or functionality and without requiring scrolling in two dimensions, for a width equivalent to 320 CSS pixels or a height equivalent to 256 CSS pixels.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Components in GRC: Continuous Authorization and Monitoring Workspace meet minimum contrast requirements, including the text color on hover and focus states.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace allows text style adjustments to meet the minimum thresholds for text spacing.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace allows hover content to be manually dismissed.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace provides more than one way of finding content, including a navigation bar and search.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Focusable elements in GRC: Continuous Authorization and Monitoring Workspace have a visible keyboard focus indicator.</p>
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, the focus indicator is consistently displayed around interactive elements without being obscured by overlapping content or other UI components.</p>
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not require movements that require dragging motions to operate.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace includes interactive elements such as buttons, icons, and links, that are designed with a minimum target size of 24 by 24 CSS pixels except in cases where this would conflict with design or content flow.</p>
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Within GRC: Continuous Authorization and Monitoring Workspace default webpages, the language of each portion of the page is programmatically determinable.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>GRC: Continuous Authorization and Monitoring Workspace provides consistent and repeatable navigation.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Components that have the same functionality within GRC: Continuous Authorization and Monitoring Workspace are identified consistently.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>When an error is automatically detected within a native data entry form in GRC: Continuous Authorization and Monitoring Workspace, the resulting error message provides suggestions for correction.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>No forms within GRC: Continuous Authorization and Monitoring Workspace submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p>
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Not Applicable</p>	<p>GRC: Continuous Authorization and Monitoring Workspace does not require cognitive testing during authentication processes.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In GRC: Continuous Authorization and Monitoring Workspace, status messages can be programmatically determined through roles or properties so that they can be presented to the user by assistive technologies without receiving focus.</p>

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	With some minor exceptions noted above, GRC: Continuous Authorization and Monitoring Workspace is functional to screen reading technology.
302.2 With Limited Vision	Partially Supports	With some minor exceptions noted above, GRC: Continuous Authorization and Monitoring Workspace supports text and screen enlargement.
302.3 Without Perception of Color	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace where color alone is being used to convey information.
302.4 Without Hearing	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires hearing.
302.5 With Limited Hearing	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires hearing.

Criteria	Conformance Level	Remarks and Explanations
302.6 Without Speech	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires speech.
302.7 With Limited Manipulation	Supports	Features and functions within GRC: Continuous Authorization and Monitoring Workspace can be manipulated via the keyboard.
302.8 With Limited Reach and Strength	Supports	Features and functions within GRC: Continuous Authorization and Monitoring Workspace can be manipulated via the keyboard.
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	GRC: Continuous Authorization and Monitoring Workspace uses standard terms, which are understandable by users with limited language, cognitive, or learning abilities.

Chapter 4: [Hardware](#)

Notes: Not Applicable

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Does not apply to a web-only application.

Criteria	Conformance Level	Remarks and Explanations
<u>503 Applications</u>	Heading cell – no response required	Does not apply to a web-only application.
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.
504.2.2 PDF Export	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.
504.3 Prompts	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.
504.4 Templates	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
<u>602 Support Documentation</u>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
602.2 Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace and does not address Support Documentation or Support Services.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Support Documentation or Support Services
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Support Documentation or Support Services.
603.3 Accommodation of Communication Needs	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Support Documentation or Support Services.

EN 301 549 Report

Notes:

Chapter 4: [Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	With some minor exceptions noted above, GRC: Continuous Authorization and Monitoring Workspace is functional to screen reading technology.
4.2.2 Usage with limited vision	Partially Supports	With some minor exceptions noted above, GRC: Continuous Authorization and Monitoring Workspace supports text and screen enlargement.
4.2.3 Usage without perception of colour	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace where color alone is being used to convey information.
4.2.4 Usage without hearing	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires hearing.
4.2.5 Usage with limited hearing	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires hearing.
4.2.6 Usage with no or limited vocal capability	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that explicitly requires speech.

Criteria	Conformance Level	Remarks and Explanations
4.2.7 Usage with limited manipulation or strength	Supports	Features and functions within GRC: Continuous Authorization and Monitoring Workspace can be manipulated via the keyboard.
4.2.8 Usage with limited reach	Supports	Features and functions within GRC: Continuous Authorization and Monitoring Workspace can be manipulated via the keyboard.
4.2.9 Minimize photosensitive seizure triggers	Supports	There is nothing within GRC: Continuous Authorization and Monitoring Workspace that would act as a photosensitive seizure trigger.
4.2.10 Usage with limited cognition, language or learning	Supports	GRC: Continuous Authorization and Monitoring Workspace uses standard terms, which are understandable by users with limited language, cognitive, or learning abilities.
4.2.11 Privacy	Supports	GRC: Continuous Authorization and Monitoring Workspace has systems in place to protect the privacy of individual users.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.3 Auditory output correlation	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.4 Speech output user control	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.7 Speech output for video information	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.8 Masked entry	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.9 Private access to personal data	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.11 Private listening volume	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.12 Speaker volume	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.13 Volume reset	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.14 Spoken languages	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.4 Functionality closed to text enlargement	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.5 Visual output for auditory information	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.1.7 Access without speech	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.2 Activation of accessibility features	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.3 Biometrics	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.4 Preservation of accessibility information during conversion	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.5.2 Operable parts discernibility	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.6.2 Visual status	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.7 Key repeat	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.8 Double-strike key acceptance	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.
5.9 Simultaneous user actions	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have closed functionality.

Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Chapter [7: ICT with Video Capabilities](#)

Notes: Not Applicable

Chapter [8: Hardware](#)

Notes: Not applicable

Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes:

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have non-web documents that contain synchronized media.
10.6 Audio description timing	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace does not have non-web documents that contain synchronized media.

Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
11.5 Interoperability with assistive technology	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.5 Object information	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.6 Row, column, and headers	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.7 Values	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.8 Label relationships	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.9 Parent-child relationships	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.10 Text	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.11 List of available actions	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.12 Execution of available actions	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.14 Modification of focus and selection attributes	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.15 Change notification	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.16 Modifications of states and properties	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.5.2.17 Modifications of values and text	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.6.2 No disruption of accessibility features	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.7 User preferences	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is a web-based application that relies on user-agent functionality.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
11.8.3 Preservation of accessibility information in transformations	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.
11.8.4 Repair assistance	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.
11.8.5 Templates	Not Applicable	GRC: Continuous Authorization and Monitoring Workspace is not an authoring tool.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Documentation or Support Services.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
12.2.2 Information on accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Documentation or Support Services.
12.2.3 Effective communication	Not Applicable	This report covers accessibility conformance for GRC: Continuous Authorization and Monitoring Workspace only and does not address Documentation or Support Services.
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable

Legal Disclaimer (Company)

© 2026 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow’s conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided “as is” and for informational purposes only.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408) 501-8550