

# Vulnerability Assessment Workspace Accessibility Conformance Report

International Edition

Based on VPAT® Version 2.5

## Report Details

| Field               | Description  |
|---------------------|--|
| Name of Product     | ServiceNow® Vulnerability Assessment Workspace   |
| Version             | Yokohama   |
| Report Date         | February 5, 2026   |
| Product Description | The Vulnerability Assessment Workspace is designed for the Vulnerability event manager to perform exposure assessment, and proactively manage critical vulnerability events especially during the critical vulnerability events such as a zero-day event.  |
| Contact Information | <a href="mailto:accessibility@servicenow.com">accessibility@servicenow.com</a>   |
| Notes               | <ul style="list-style-type: none"><li>• This product is a web-only application. The information contained in this report only applies to this release of this application.</li><li>• Accessibility conformance details for other ServiceNow products are covered in separate reports. See <a href="#">Accessibility Conformance Reports</a> on the Product Documentation site.</li><li>• Any customization of this application or the ServiceNow AI Platform may have an impact on the specifics in this report.</li></ul> |

## Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, VoiceOver, TalkBack, and ZoomText. Additionally, the keyboard was used exclusively to navigate and operate the product content and functionality.
- The evaluation process used a combination of independent 3<sup>rd</sup> party assessments and automated checks, as well as human testing/evaluation of specific workflows.
- This Accessibility Conformance Report is based on known conformance issues related to Vulnerability Assessment Workspace. Other potential accessibility and usability issues may exist but are unknown at this time.

## Applicable Standards/Guidelines

This report covers the degree of conformance to the following accessibility standards/guidelines:

| Standard/Guideline   | Included In Report                                |
|--|---|
| <a href="#">Web Content Accessibility Guidelines 2.0</a>   | Level A (Yes)<br>Level AA (Yes)<br>Level AAA (No) |
| <a href="#">Web Content Accessibility Guidelines 2.1</a>   | Level A (Yes)<br>Level AA (Yes)<br>Level AAA (No) |
| <a href="#">Web Content Accessibility Guidelines 2.2</a>   | Level A (Yes)<br>Level AA (Yes)<br>Level AAA (No) |
| <a href="#">Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018</a> | (Yes)   |
| <a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>   | (Yes)   |

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Notes:

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">1.1.1 Non-text Content</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.1.1 (Web)</li> <li>• 10.1.1.1 (Non-web document)</li> <li>• 11.1.1.1.1 (Open Functionality Software)</li> <li>• 11.1.1.1.2 (Closed Functionality Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace provides sufficient text alternatives for any instances of non-text content.</p> |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| <p><a href="#">1.2.1 Audio-only and Video-only (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.1 (Web)</li> <li>• 10.1.2.1 (Non-web document)</li> <li>• 11.1.2.1.1 (Open Functionality Software)</li> <li>• 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment Workspace does not contain prerecorded audio-only or video-only media.</p> |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| <p><a href="#">1.2.2 Captions (Prerecorded)</a><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.2 (Web)</li> <li>• 10.1.2.2 (Non-web document)</li> <li>• 11.1.2.2 (Open Functionality Software)</li> <li>• 11.1.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment Workspace does not contain prerecorded synchronized media.</p> |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| <p><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.3 (Web)</li> <li>• 10.1.2.3 (Non-web document)</li> <li>• 11.1.2.3.1 (Open Functionality Software)</li> <li>• 11.1.2.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment Workspace does not contain pre-recorded video content that would require audio description or a media alternative.</p> |

| Criteria  | Conformance Level                | Remarks and Explanations   |
|---|----------------------------------|--|
| <p><a href="#">1.3.1 Info and Relationships</a><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.1 (Web)</li> <li>• 10.1.3.1 (Non-web document)</li> <li>• 11.1.3.1.1 (Open Functionality Software)</li> <li>• 11.1.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Partially Supports</b></p> | <p>Visual structure and relationship information for Vulnerability Assessment Workspace are provided through object information or are available in text, with the following exceptions:</p> <ul style="list-style-type: none"> <li>• While viewing the Exposure Assessment page, the levels for the headings are inaccurate for screen reader users.</li> <li>• While on the "Add Software modal" of the Exposure and Assessment page, the asterisks that indicate required entry is announced as "blank" by the screen reader.</li> <li>• On records for an Exposure and Vulnerability assessment, the read-only status for fields is not communicated by screen readers.</li> </ul> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><b><u>1.3.2 Meaningful Sequence</u></b><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.2 (Web)</li> <li>• 10.1.3.2 (Non-web document)</li> <li>• 11.1.3.2.1 (Open Functionality Software)</li> <li>• 11.1.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Content in Vulnerability Assessment Workspace is presented in a meaningful sequence.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b><u>1.3.3 Sensory Characteristics</u></b><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.3 (Web)</li> <li>• 10.1.3.3 (Non-web document)</li> <li>• 11.1.3.3 (Open Functionality Software)</li> <li>• 11.1.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Instructions in Vulnerability Assessment Workspace do not rely solely on sensory characteristics.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">1.4.1 Use of Color</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.1 (Web)</li> <li>• 10.1.4.1 (Non-web document)</li> <li>• 11.1.4.1 (Open Functionality Software)</li> <li>• 11.1.4.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace site content and functionality do not convey information through color alone.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><a href="#">1.4.2 Audio Control</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.2 (Web)</li> <li>• 10.1.4.2 (Non-web document)</li> <li>• 11.1.4.2 (Open Functionality Software)</li> <li>• 11.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace does not contain audio that plays automatically.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">2.1.1 Keyboard</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.1 (Web)</li> <li>• 10.2.1.1 (Non-web document)</li> <li>• 11.2.1.1.1 (Open Functionality Software)</li> <li>• 11.2.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace functionality can be accessed and operated using a keyboard.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">2.1.2 No Keyboard Trap</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.2 (Web)</li> <li>• 10.2.1.2 (Non-web document)</li> <li>• 11.2.1.2 (Open Functionality Software)</li> <li>• 11.2.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace does not include any known keyboard traps.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">2.1.4 Character Key Shortcuts</a><br/>(Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.1.4 (Web)</li> <li>• 10.2.1.4 (Non-web document)</li> <li>• 11.2.1.4.1 (Open Functionality Software)</li> <li>• 11.2.1.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace does not use any single-key shortcuts, other than those restricted to a focused component.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><a href="#">2.2.1 Timing Adjustable</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.1 (Web)</li> <li>• 10.2.2.1 (Non-web document)</li> <li>• 11.2.2.1 (Open Functionality Software)</li> <li>• 11.2.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace allows users to extend the session timeout as required.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><a href="#">2.2.2 Pause, Stop, Hide</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.2.2 (Web)</li> <li>• 10.2.2.2 (Non-web document)</li> <li>• 11.2.2.2 (Open Functionality Software)</li> <li>• 11.2.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace does not include elements that move, blink, scroll, or auto-update.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">2.3.1 Three Flashes or Below Threshold</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.3.1 (Web)</li> <li>• 10.2.3.1 (Non-web document)</li> <li>• 11.2.3.1 (Open Functionality Software)</li> <li>• 11.2.3.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace does not contain any flashing or strobing content.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b>2.4.1 Bypass Blocks</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.1 (Web)</li> <li>• 10.2.4.1 (Non-web document) – Does not apply</li> <li>• 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.1 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> | <p><b>Supports</b></p> | <p>Pages in Vulnerability Assessment Workspace use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.2 (Web)</li> <li>• 10.2.4.2 (Non-web document)</li> <li>• 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>• 11.2.4.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Pages in Vulnerability Assessment Workspace have appropriate page titles.</p> |

| Criteria  | Conformance Level                | Remarks and Explanations   |
|---|----------------------------------|--|
| <p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.3 (Web)</li> <li>• 10.2.4.3 (Non-web document)</li> <li>• 11.2.4.3 (Open Functionality Software)</li> <li>• 11.2.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Partially Supports</b></p> | <p>Components in Vulnerability Assessment Workspace receive focus in a meaningful order, with the following exceptions:</p> <ul style="list-style-type: none"> <li>• On Create New Vulnerability Asset modal, selecting Primary CVE kicks focus off modal and back onto page beneath.</li> <li>• After choosing a CVE record from the search page, users will find that focus shifts outside of the modal, and screen reader users navigate the main page.</li> <li>• When activating the add button from the CVE tab of the Exposure Assessment workspace, focus will land on the Cancel button, skipping all other modal content.</li> </ul> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b><u>2.4.4 Link Purpose (In Context)</u></b><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.4 (Web)</li> <li>• 10.2.4.4 (Non-web document)</li> <li>• 11.2.4.4 (Open Functionality Software)</li> <li>• 11.2.4.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>The purpose of each link in Vulnerability Assessment Workspace can be determined from the link text alone or from the programmatic context of the link.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><a href="#">2.5.1 Pointer Gestures</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.1 (Web)</li> <li>• 10.2.5.1 (Non-web document)</li> <li>• 11.2.5.1 (Open Functionality Software)</li> <li>• 11.2.5.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, there is no functionality that uses multipoint or path-based gestures to operate.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><a href="#">2.5.2 Pointer Cancellation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.2 (Web)</li> <li>• 10.2.5.2 (Non-web document)</li> <li>• 11.2.5.2 (Open Functionality Software)</li> <li>• 11.2.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, the down-event of the pointer is not used to execute any part of the function.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">2.5.3 Label in Name</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.3 (Web)</li> <li>• 10.2.5.3 (Non-web document)</li> <li>• 11.2.5.3.1 (Open Functionality Software)</li> <li>• 11.2.5.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Visual labels of components within Vulnerability Assessment Workspace match the text associated with the programmatic names.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><a href="#">2.5.4 Motion Actuation</a> (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5.4 (Web)</li> <li>• 10.2.5.4 (Non-web document)</li> <li>• 11.2.5.4 (Open Functionality Software)</li> <li>• 11.2.5.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, there is no functionality that can be operated by device motion or user motion.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">3.1.1 Language of Page</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.1 (Web)</li> <li>• 10.3.1.1 (Non-web document)</li> <li>• 11.3.1.1.1 (Open Functionality Software)</li> <li>• 11.3.1.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>The default language of each page in Vulnerability Assessment Workspace is identified using the LANG attribute in the HTML element.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b>3.2.1 On Focus</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.1 (Web)</li> <li>• 10.3.2.1 (Non-web document)</li> <li>• 11.3.2.1 (Open Functionality Software)</li> <li>• 11.3.2.1 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Components in Vulnerability Assessment Workspace do not initiate a change of context when in focus.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><b>3.2.2 On Input</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.2 (Web)</li> <li>• 10.3.2.2 (Non-web document)</li> <li>• 11.3.2.2 (Open Functionality Software)</li> <li>• 11.3.2.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, changes in context do not occur automatically on user input.</p>  |
| <p><b>3.2.6 Consistent Help</b> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>   | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace provides help mechanisms on all applicable pages to assist users in completing forms and other tasks requiring input.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">3.3.1 Error Identification</a> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.1 (Web)</li> <li>• 10.3.3.1 (Non-web document)</li> <li>• 11.3.3.1.1 (Open Functionality Software)</li> <li>• 11.3.3.1.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Where errors are automatically detected in Vulnerability Assessment Workspace, the error is identified, and an error message is provided as text.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><b><u>3.3.2 Labels or Instructions</u></b><br/>(Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.2 (Web)</li> <li>• 10.3.3.2 (Non-web document)</li> <li>• 11.3.3.2 (Open Functionality Software)</li> <li>• 11.3.3.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>A label is provided for each input field in Vulnerability Assessment Workspace.</p>  |
| <p><b><u>3.3.7 Redundant Entry</u></b> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>   | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, fields are automatically populated when a user has previously entered this information during the same session.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b>4.1.1 Parsing</b> (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.1 (Web)</li> <li>• 10.4.1.1 (Non-web document)</li> <li>• 11.4.1.1.1 (Open Functionality Software)</li> <li>• 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a>.</p> |

| Criteria   | Conformance Level                | Remarks and Explanations  |
|--|----------------------------------|---|
| <p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.2 (Web)</li> <li>• 10.4.1.2 (Non-web document)</li> <li>• 11.4.1.2.1 (Open Functionality Software)</li> <li>• 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Partially Supports</b></p> | <p>User interface components in Vulnerability Assessment Workspace provide programmatic name, role, and/or state information, with the following exception:</p> <ul style="list-style-type: none"> <li>• When navigating the modal for a ‘Vulnerable item creation’ and selecting an existing record, users will find that the Search button is unlabeled.</li> </ul> |

**Table 2: Success Criteria, Level AA**

Notes:

| Criteria  | Conformance Level            | Remarks and Explanations  |
|---|------------------------------|---|
| <p><a href="#">1.2.4 Captions (Live)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.4 (Web)</li> <li>• 10.1.2.4 (Non-web document)</li> <li>• 11.1.2.4 (Open Functionality Software)</li> <li>• 11.1.2.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment<br/>Workspace does not contain live synchronized media.</p> |

| Criteria   | Conformance Level            | Remarks and Explanations  |
|--|------------------------------|---|
| <p><b><u>1.2.5 Audio Description</u></b><br/>           (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.2.5 (Web)</li> <li>• 10.1.2.5 (Non-web document)</li> <li>• 11.1.2.5 (Open Functionality Software)</li> <li>• 11.1.2.5 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> <li>• Revised Section 508</li> </ul> <p>501 (Web)(Software)</p> <ul style="list-style-type: none"> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment<br/>           Workspace does not contain prerecorded video content that would require audio description.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><a href="#">1.3.4 Orientation</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.4 (Web)</li> <li>• 10.1.3.4 (Non-web document)</li> <li>• 11.1.3.4 (Open Functionality Software)</li> <li>• 11.1.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace does not contain fixed orientation for page displays.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">1.3.5 Identify Input Purpose</a><br/>(Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.3.5 (Web)</li> <li>• 10.1.3.5 (Non-web document)</li> <li>• 11.1.3.5.1 (Open Functionality Software)</li> <li>• 11.1.3.5.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><a href="#">1.4.3 Contrast (Minimum)</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.3 (Web)</li> <li>• 10.1.4.3 (Non-web document)</li> <li>• 11.1.4.3 (Open Functionality Software)</li> <li>• 11.1.4.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Text in Vulnerability Assessment Workspace meets minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.4 (Web)</li> <li>• 10.1.4.4 (Non-web document)</li> <li>• 11.1.4.4.1 (Open Functionality Software)</li> <li>• 11.1.4.4.2 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">1.4.5 Images of Text</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.5 (Web)</li> <li>• 10.1.4.5 (Non-web document)</li> <li>• 11.1.4.5.1 (Open Functionality Software)</li> <li>• 11.1.4.5.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace uses text instead of images of text.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><a href="#">1.4.10 Reflow</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.10 (Web)</li> <li>• 10.1.4.10 (Non-web document)</li> <li>• 11.1.4.10 (Open Functionality Software)</li> <li>• 11.1.4.10 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Vulnerability Assessment<br/>Workspace content reflows at different screen widths without loss of information or functionality and without requiring scrolling in two dimensions.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">1.4.11 Non-text Contrast</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.11 (Web)</li> <li>• 10.1.4.11 (Non-web document)</li> <li>• 11.1.4.11 (Open Functionality Software)</li> <li>• 11.1.4.11 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Components in Vulnerability Assessment Workspace meet minimum contrast requirements, including the text color on hover and focus states.</p> |

| Criteria   | Conformance Level                | Remarks and Explanations  |
|--|----------------------------------|---|
| <p><a href="#">1.4.12 Text Spacing</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.12 (Web)</li> <li>• 10.1.4.12 (Non-web document)</li> <li>• 11.1.4.12 (Open Functionality Software)</li> <li>• 11.1.4.12 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Partially Supports</b></p> | <p>Vulnerability Assessment Workspace allows text style adjustments to meet the minimum thresholds for text spacing, with the following exception:</p> <ul style="list-style-type: none"> <li>• Text spacing override truncates numbers on the Assessment tab in Vulnerability Assessment.</li> </ul> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><a href="#">1.4.13 Content on Hover or Focus</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.1.4.13 (Web)</li> <li>• 10.1.4.13 (Non-web document)</li> <li>• 11.1.4.13 (Open Functionality Software)</li> <li>• 11.1.4.13 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace allows hover content to be manually dismissed.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.5 (Web)</li> <li>• 10.2.4.5 (Non-web document) – Does not apply</li> <li>• 11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>• 11.2.4.5 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace provides more than one way of finding content, including a navigation bar and search.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">2.4.6 Headings and Labels</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.6 (Web)</li> <li>• 10.2.4.6 (Non-web document)</li> <li>• 11.2.4.6 (Open Functionality Software)</li> <li>• 11.2.4.6 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p> |

| Criteria  | Conformance Level            | Remarks and Explanations  |
|---|------------------------------|---|
| <p><a href="#">2.4.7 Focus Visible</a> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.4.7 (Web)</li> <li>• 10.2.4.7 (Non-web document)</li> <li>• 11.2.4.7 (Open Functionality Software)</li> <li>• 11.2.4.7 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p>       | <p>Focusable elements in Vulnerability Assessment Workspace have a visible keyboard focus indicator.</p>  |
| <p><a href="#">2.4.11 Focus Not Obscured (Minimum)</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>  | <p><b>Supports</b></p>       | <p>In Vulnerability Assessment Workspace, the focus indicator is consistently displayed around interactive elements without being obscured by overlapping content or other UI components.</p> |
| <p><a href="#">2.5.7 Dragging Movements</a> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>   | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment Workspace does not require movements that require dragging motions to operate.</p>  |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><b><u>2.5.8 Target Size (Minimum)</u></b><br/>(Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>  | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace includes interactive elements such as buttons, icons, and links, that are designed with a minimum target size of 24 by 24 CSS pixels except in cases where this would conflict with design or content flow.</p> |
| <p><b><u>3.1.2 Language of Parts</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.1.2 (Web)</li> <li>• 10.3.1.2 (Non-web document)</li> <li>• 11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>• 11.3.1.2 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>Within Vulnerability Assessment Workspace default webpages, the language of each portion of the page is programmatically determinable.</p>   |

| Criteria   | Conformance Level      | Remarks and Explanations   |
|--|------------------------|--|
| <p><b><u>3.2.3 Consistent Navigation</u></b><br/>(Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.3 (Web)</li> <li>• 10.3.2.3 (Non-web document) – Does not apply</li> <li>• 11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> | <p><b>Supports</b></p> | <p>Vulnerability Assessment Workspace provides consistent and repeatable navigation.</p> |

| Criteria   | Conformance Level      | Remarks and Explanations  |
|--|------------------------|---|
| <p><b><u>3.2.4 Consistent Identification</u></b><br/>(Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.2.4 (Web)</li> <li>• 10.3.2.4 (Non-web document) – Does not apply</li> <li>• 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>• 11.3.2.4 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> | <p><b>Supports</b></p> | <p>Components that have the same functionality within Vulnerability Assessment Workspace are identified consistently.</p> |

| Criteria  | Conformance Level      | Remarks and Explanations   |
|---|------------------------|--|
| <p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.3 (Web)</li> <li>• 10.3.3.3 (Non-web document)</li> <li>• 11.3.3.3 (Open Functionality Software)</li> <li>• 11.3.3.3 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p> | <p>When an error is automatically detected within a native data entry form in Vulnerability Assessment Workspace, the resulting error message provides suggestions for correction.</p> |

| Criteria  | Conformance Level            | Remarks and Explanations   |
|---|------------------------------|--|
| <p><b><u>3.3.4 Error Prevention (Legal, Financial, Data)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.3.3.4 (Web)</li> <li>• 10.3.3.4 (Non-web document)</li> <li>• 11.3.3.4 (Open Functionality Software)</li> <li>• 11.3.3.4 (Closed Software)</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> | <p><b>Supports</b></p>       | <p>No forms within Vulnerability Assessment Workspace submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p> |
| <p><b><u>3.3.8 Accessible Authentication (Minimum)</u></b> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>  | <p><b>Not Applicable</b></p> | <p>Vulnerability Assessment Workspace does not require cognitive testing during authentication processes.</p>  |

| Criteria  | Conformance Level      | Remarks and Explanations  |
|---|------------------------|---|
| <p><a href="#">4.1.3 Status Messages</a> (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.4.1.3 (Web)</li> <li>• 10.4.1.3 (Non-web document)</li> <li>• 11.4.1.3 (Open Functionality Software)</li> <li>• 11.4.1.3 (Closed Software) – Does not apply</li> <li>• 11.8.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p> | <p><b>Supports</b></p> | <p>In Vulnerability Assessment Workspace, status messages can be programmatically determined through roles or properties so that they can be presented to the user by assistive technologies without receiving focus.</p> |

**Table 3: Success Criteria, Level AAA**

Notes: Not Evaluated

## Revised Section 508 Report

Notes:

### Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

| Criteria                          | Conformance Level         | Remarks and Explanations   |
|-----------------------------------|---------------------------|--|
| 302.1 Without Vision              | <b>Partially Supports</b> | With some minor exceptions noted above, Vulnerability Assessment Workspace is functional to screen reading technology. |
| 302.2 With Limited Vision         | <b>Supports</b>           | Vulnerability Assessment Workspace supports text and screen enlargement.   |
| 302.3 Without Perception of Color | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace where color alone is being used to convey information.      |
| 302.4 Without Hearing             | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires hearing.                           |
| 302.5 With Limited Hearing        | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires hearing.                           |
| 302.6 Without Speech              | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires speech.                            |

| Criteria   | Conformance Level | Remarks and Explanations   |
|--|-------------------|--|
| 302.7 With Limited Manipulation                                | <b>Supports</b>   | Features and functions within Vulnerability Assessment Workspace can be manipulated via the keyboard.  |
| 302.8 With Limited Reach and Strength                          | <b>Supports</b>   | Features and functions within Vulnerability Assessment Workspace can be manipulated via the keyboard.  |
| 302.9 With Limited Language, Cognitive, and Learning Abilities | <b>Supports</b>   | Vulnerability Assessment Workspace uses standard terms, which are understandable by users with limited language, cognitive, or learning abilities. |

## Chapter 4: [Hardware](#)

Notes: Not Applicable

## Chapter 5: [Software](#)

Notes:

| Criteria   | Conformance Level                    | Remarks and Explanations                  |
|--|--------------------------------------|---|
| 501.1 Scope – Incorporation of WCAG 2.0 AA                     | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section       |
| <a href="#">502 Interoperability with Assistive Technology</a> | Heading cell – no response required  | Does not apply to a web-only application. |
| <a href="#">503 Applications</a>                               | Heading cell – no response required  | Does not apply to a web-only application. |
| <a href="#">504 Authoring Tools</a>                            | Heading cell – no response required  | Heading cell – no response required       |

| Criteria  | Conformance Level     | Remarks and Explanations                                     |
|---|-----------------------|--|
| 504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)   | See WCAG 2.x section  | See information in WCAG 2.x section                          |
| 504.2.1 Preservation of Information Provided for Accessibility in Format Conversion | <b>Not Applicable</b> | Vulnerability Assessment Workspace is not an authoring tool. |
| 504.2.2 PDF Export  | <b>Not Applicable</b> | Vulnerability Assessment Workspace is not an authoring tool. |
| 504.3 Prompts   | <b>Not Applicable</b> | Vulnerability Assessment Workspace is not an authoring tool. |
| 504.4 Templates   | <b>Not Applicable</b> | Vulnerability Assessment Workspace is not an authoring tool. |

## Chapter 6: [Support Documentation and Services](#)

Notes:

| Criteria                                       | Conformance Level                   | Remarks and Explanations  |
|--|-------------------------------------|---|
| 601.1 Scope                                    | Heading cell – no response required | Heading cell – no response required   |
| <a href="#">602 Support Documentation</a>      | Heading cell – no response required | Heading cell – no response required   |
| 602.2 Accessibility and Compatibility Features | <b>Not Applicable</b>               | This report covers accessibility conformance for Vulnerability Assessment Workspace and does not address Support Documentation or Support Services. |

| Criteria   | Conformance Level                    | Remarks and Explanations   |
|--|--------------------------------------|--|
| 602.3 Electronic Support Documentation                           | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section  |
| 602.4 Alternate Formats for Non-Electronic Support Documentation | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Support Documentation or Support Services  |
| <a href="#"><b>603 Support Services</b></a>                      | Heading cell – no response required  | Heading cell – no response required  |
| 603.2 Information on Accessibility and Compatibility Features    | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Support Documentation or Support Services. |
| 603.3 Accommodation of Communication Needs                       | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Support Documentation or Support Services. |

## EN 301 549 Report

Notes:

### Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

| Criteria  | Conformance Level         | Remarks and Explanations   |
|---|---------------------------|--|
| 4.2.1 Usage without vision                      | <b>Partially Supports</b> | With some minor exceptions noted above, Vulnerability Assessment Workspace is functional to screen reading technology. |
| 4.2.2 Usage with limited vision                 | <b>Partially Supports</b> | With some minor exceptions noted above, Vulnerability Assessment Workspace supports text and screen enlargement.       |
| 4.2.3 Usage without perception of colour        | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace where color alone is being used to convey information.      |
| 4.2.4 Usage without hearing                     | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires hearing.                           |
| 4.2.5 Usage with limited hearing                | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires hearing.                           |
| 4.2.6 Usage with no or limited vocal capability | <b>Supports</b>           | There is nothing within Vulnerability Assessment Workspace that explicitly requires speech.                            |

| Criteria  | Conformance Level | Remarks and Explanations   |
|---|-------------------|--|
| 4.2.7 Usage with limited manipulation or strength         | <b>Supports</b>   | Features and functions within Vulnerability Assessment Workspace can be manipulated via the keyboard.  |
| 4.2.8 Usage with limited reach                            | <b>Supports</b>   | Features and functions within Vulnerability Assessment Workspace can be manipulated via the keyboard.  |
| 4.2.9 Minimize photosensitive seizure triggers            | <b>Supports</b>   | There is nothing within Vulnerability Assessment Workspace that would act as a photosensitive seizure trigger.                                     |
| 4.2.10 Usage with limited cognition, language or learning | <b>Supports</b>   | Vulnerability Assessment Workspace uses standard terms, which are understandable by users with limited language, cognitive, or learning abilities. |
| 4.2.11 Privacy  | <b>Supports</b>   | Vulnerability Assessment Workspace has systems in place to protect the privacy of individual users.  |

## Chapter 5: [Generic Requirements](#)

Notes:

| Criteria                        | Conformance Level                   | Remarks and Explanations            |
|---------------------------------|-------------------------------------|-------------------------------------|
| <b>5.1 Closed functionality</b> | Heading cell – no response required | Heading cell – no response required |
| <b>5.1.2 General</b>            | Heading cell – no response required | Heading cell – no response required |

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| <b>5.1.2.1 Closed functionality</b>               | See 5.2 through 13                  | See information in 5.2 through 13   |
| <b>5.1.2.2 Assistive technology</b>               | See 5.1.3 through 5.1.6             | See information in 5.1.3 through 5.1.6                                    |
| <b>5.1.3 Non-visual access</b>                    | Heading cell – no response required | Heading cell – no response required                                       |
| 5.1.3.1 Audio output of visual information        | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.2 Auditory output delivery including speech | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.3 Auditory output correlation               | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.4 Speech output user control                | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.5 Speech output automatic interruption      | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.6 Speech output for non-text content        | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.7 Speech output for video information       | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.3.8 Masked entry                              | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |

| Criteria  | Conformance Level     | Remarks and Explanations   |
|---|-----------------------|--|
| 5.1.3.9 Private access to personal data               | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.10 Non-interfering audio output                 | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.11 Private listening volume                     | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.12 Speaker volume                               | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.13 Volume reset                                 | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.14 Spoken languages                             | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.15 Non-visual error identification              | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.3.16 Receipts, tickets, and transactional outputs | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.4 Functionality closed to text enlargement        | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |
| 5.1.5 Visual output for auditory information          | <b>Not Applicable</b> | Vulnerability Assessment Workspace does not have closed functionality. |

| Criteria  | Conformance Level                   | Remarks and Explanations  |
|---|-------------------------------------|---|
| <b>5.1.6 Operation without keyboard interface</b>               | Heading cell – no response required | Heading cell – no response required                                       |
| <b>5.1.6.1 Closed functionality</b>                             | See 5.1.3.1 through 5.1.3.16        | See information in 5.1.3.1 through 5.1.3.16                               |
| 5.1.6.2 Input focus   | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.1.7 Access without speech                                     | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.2 Activation of accessibility features                        | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.3 Biometrics  | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.4 Preservation of accessibility information during conversion | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| <b>5.5 Operable parts</b>                                       | Heading cell – no response required | Heading cell – no response required                                       |
| 5.5.1 Means of operation  | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.5.2 Operable parts discernibility                             | <b>Not Applicable</b>               | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| <b>5.6 Locking or toggle controls</b>                           | Heading cell – no response required | Heading cell – no response required                                       |

| Criteria                         | Conformance Level     | Remarks and Explanations  |
|----------------------------------|-----------------------|---|
| 5.6.1 Tactile or auditory status | <b>Not Applicable</b> | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.6.2 Visual status              | <b>Not Applicable</b> | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.7 Key repeat                   | <b>Not Applicable</b> | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.8 Double-strike key acceptance | <b>Not Applicable</b> | Vulnerability Assessment<br>Workspace does not have closed functionality. |
| 5.9 Simultaneous user actions    | <b>Not Applicable</b> | Vulnerability Assessment<br>Workspace does not have closed functionality. |

## Chapter [6: ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

## Chapter [7: ICT with Video Capabilities](#)

Notes: Not Applicable

## Chapter [8: Hardware](#)

Notes: Not applicable

## Chapter [9: Web](#) (see [WCAG 2.x section](#))

Notes:

## Chapter [10: Non-Web Documents](#)

Notes:

| Criteria                      | Conformance Level                    | Remarks and Explanations  |
|-------------------------------|--------------------------------------|---|
| 10.0 General (informative)    | Heading cell – no response required  | Heading cell – no response required   |
| 10.1.1.1 through 10.4.1.3     | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section   |
| 10.5 Caption positioning      | <b>Not Applicable</b>                | Vulnerability Assessment Workspace does not have non-web documents that contain synchronized media. |
| 10.6 Audio description timing | <b>Not Applicable</b>                | Vulnerability Assessment Workspace does not have non-web documents that contain synchronized media. |

## Chapter [11: Software](#)

Notes:

| Criteria  | Conformance Level                    | Remarks and Explanations            |
|---|--------------------------------------|-------------------------------------|
| 11.0 General (informative)                                    | Heading cell – no response required  | Heading cell – no response required |
| 11.1.1.1 through 11.4.1.3                                     | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section |
| <b><i>11.5 Interoperability with assistive technology</i></b> | Heading cell – no response required  | Heading cell – no response required |
| <b><i>11.5.1 Closed functionality</i></b>                     | Heading cell – no response required  | Heading cell – no response required |

| Criteria  | Conformance Level                             | Remarks and Explanations   |
|---|---|--|
| <b>11.5.2 Accessibility services</b>  | Heading cell – no response required           | Heading cell – no response required  |
| 11.5.2.1 Platform accessibility service support for software that provides a user interface | See 11.5.2.5 through 11.5.2.17                | See information in 11.5.2.5 through 11.5.2.17  |
| 11.5.2.2 Platform accessibility service support for assistive technologies                  | See 11.5.2.5 through 11.5.2.17                | See information in 11.5.2.5 through 11.5.2.17  |
| 11.5.2.3 Use of accessibility services  | See information in 11.5.2.5 through 11.5.2.17 | See information in 11.5.2.5 through 11.5.2.17  |
| 11.5.2.4 Assistive technology   | <b>Not Applicable</b>                         | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.5 Object information   | <b>Not Applicable</b>                         | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.6 Row, column, and headers   | <b>Not Applicable</b>                         | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.7 Values   | <b>Not Applicable</b>                         | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.8 Label relationships  | <b>Not Applicable</b>                         | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |

| Criteria   | Conformance Level     | Remarks and Explanations   |
|--|-----------------------|--|
| 11.5.2.9 Parent-child relationships                      | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.10 Text   | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.11 List of available actions                      | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.12 Execution of available actions                 | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.13 Tracking of focus and selection attributes     | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.14 Modification of focus and selection attributes | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.15 Change notification                            | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.5.2.16 Modifications of states and properties         | <b>Not Applicable</b> | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |

| Criteria  | Conformance Level                   | Remarks and Explanations   |
|---|-------------------------------------|--|
| 11.5.2.17 Modifications of values and text                          | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| <b>11.6 Documented accessibility usage</b>                          | Heading cell – no response required | Heading cell – no response required  |
| 11.6.1 User control of accessibility features                       | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.6.2 No disruption of accessibility features                      | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| 11.7 User preferences   | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is a web-based application that relies on user-agent functionality. |
| <b>11.8 Authoring tools</b>   | Heading cell – no response required | Heading cell – no response required  |
| <b>11.8.1 Content technology</b>                                    | Heading cell – no response required | Heading cell – no response required  |
| 11.8.2 Accessible content creation                                  | <b>Not Applicable</b>               | See information in WCAG 2.x section  |
| 11.8.3 Preservation of accessibility information in transformations | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is not an authoring tool.   |
| 11.8.4 Repair assistance  | <b>Not Applicable</b>               | Vulnerability Assessment Workspace is not an authoring tool.   |

| Criteria         | Conformance Level     | Remarks and Explanations                                     |
|------------------|-----------------------|--|
| 11.8.5 Templates | <b>Not Applicable</b> | Vulnerability Assessment Workspace is not an authoring tool. |

## Chapter [12: Documentation and Support Services](#)

Notes:

| Criteria   | Conformance Level                    | Remarks and Explanations   |
|--|--------------------------------------|--|
| <b>12.1 Product documentation</b>                              | Heading cell – no response required  | Heading cell – no response required  |
| 12.1.1 Accessibility and compatibility features                | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Documentation or Support Services. |
| 12.1.2 Accessible documentation                                | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section  |
| <b>12.2 Support Services</b>                                   | Heading cell – no response required  | Heading cell – no response required  |
| 12.2.2 Information on accessibility and compatibility features | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Documentation or Support Services. |
| 12.2.3 Effective communication                                 | <b>Not Applicable</b>                | This report covers accessibility conformance for Vulnerability Assessment Workspace only and does not address Documentation or Support Services. |

| Criteria                        | Conformance Level                    | Remarks and Explanations            |
|---------------------------------|--------------------------------------|-------------------------------------|
| 12.2.4 Accessible documentation | See <a href="#">WCAG 2.x</a> section | See information in WCAG 2.x section |

## Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable

## **Legal Disclaimer (Company)**

© 2026 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow’s conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided “as is” and for informational purposes only.

### **Company Headquarters**

2225 Lawson Lane  
Santa Clara, CA 95054  
United States  
**(408) 501-8550**