

Workplace Space Management Accessibility Conformance Report

International Edition

Based on VPAT® Version 2.5

Report Details

Field	Description
Name of Product	ServiceNow® Workplace Space Management
Version	Yokohama
Report Date	March 12, 2026
Product Description	ServiceNow® Workplace Space Management provides workplace administrators and space planners with the tools and visibility they need to plan, design, and optimize workspaces.
Contact Information	accessibility@servicenow.com
Notes	<ul style="list-style-type: none"> • This product is a web-only application. The information contained in this report only applies to this release of this application. • Accessibility conformance details for other ServiceNow products are covered in separate reports. See Accessibility Conformance Reports on the Product Documentation site. • Any customization of this application or the ServiceNow AI Platform may have an impact on the specifics in this report. • This version of the report replaces the Xanadu Space Optimization for Workplace Space Management version dated January 30, 2025.

Evaluation Methods Used

- This application was evaluated using the most recent versions of multiple browsers (Chrome, Safari, and Edge Chromium).
- Assistive technologies used in this evaluation included NVDA, JAWS, VoiceOver, TalkBack, and ZoomText. Additionally, the keyboard was used exclusively to navigate and operate the product content and functionality.
- The evaluation process used a combination of independent 3rd party assessments and automated checks, as well as human testing/evaluation of specific workflows.
- This Accessibility Conformance Report is based on known conformance issues related to Workplace Space Management. Other potential accessibility and usability issues may exist but are unknown at this time.

Applicable Standards/Guidelines

This report covers the degree of conformance to the following accessibility standards/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.2	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017, and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Workplace Space Management provides sufficient text alternatives for any instances of non-text content, with the following exception:</p> <ul style="list-style-type: none"> • On the floor map tab, the spaces have images and numbers that are not announced with alternative text.

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>Workplace Space Management does not contain prerecorded audio-only or video-only media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>Workplace Space Management does not contain prerecorded synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>Workplace Space Management does not contain prerecorded video content that would require audio description or a media alternative.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.1 Info and Relationships (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Visual structure and relationship information for Workplace Space Management are provided through object information or are available in text, with the following exceptions:</p> <ul style="list-style-type: none"> • “Space count” and corresponding numbers in Stack plan tab have no context for screen reader users. • The Space selection criteria for adding a filter is displayed with an asterisk indicating required but is not announced as required by screen reader.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Content in Workplace Space Management is presented in a meaningful sequence.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Instructions in Workplace Space Management do not rely solely on sensory characteristics.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.1 Use of Color (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management site content and functionality do not convey information through color alone.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management does not contain audio that plays automatically.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management functionality can be accessed and operated using a keyboard.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management does not include any known keyboard traps.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.4 Character Key Shortcuts (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management does not use any single-key shortcuts, other than those restricted to a focused component.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management allows users to extend the session timeout as required.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management does not include elements that move, blink, scroll, or auto-update.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management does not contain any flashing or strobing content.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Pages in Workplace Space Management use HTML5 landmark regions, which will allow screen readers to meet this requirement.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Pages in Workplace Space Management have appropriate page titles.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Components in Workplace Space Management receive focus in a meaningful order.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The purpose of each link in Workplace Space Management can be determined from the link text alone or from the programmatic context of the link.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.1 Pointer Gestures (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, there is no functionality that uses multipoint or path-based gestures to operate.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.2 Pointer Cancellation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, the down-event of the pointer is not used to execute any part of the function.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.3 Label in Name (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Partially Supports</p>	<p>Visual labels of components within Workplace Space Management match the text associated with the programmatic names, with the following exception:</p> <ul style="list-style-type: none"> • On the Floor map in the Space details section, the "Edit Spaces" button with multiple spaces selected does not include the visible number in the accessible label.

Criteria	Conformance Level	Remarks and Explanations
<p>2.5.4 Motion Actuation (Level A 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, there is no functionality that can be operated by device motion or user motion.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>The default language of each page in Workplace Space Management is identified using the LANG attribute in the HTML element.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Components in Workplace Space Management do not initiate a change of context when in focus.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>In Workplace Space Management, changes in context do not occur automatically on user input, with the following exception:</p> <ul style="list-style-type: none"> • The confirmation dialog modals are not announced when they are added to the page and displayed.
<p>3.2.6 Consistent Help (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management provides help mechanisms on all applicable pages to assist users in completing forms and other tasks requiring input.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Where errors are automatically detected in Workplace Space Management, the error is identified, and an error message is provided as text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>A label is provided for each input field in Workplace Space Management.</p>
<p><u>3.3.7 Redundant Entry</u> (Level A 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, fields are automatically populated when a user has previously entered this information during the same session.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.1 Parsing (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) - Does not apply</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>For WCAG 2.0, 2.1, EN 301 549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the WCAG 2.0 Editorial Errata and the WCAG 2.1 Editorial Errata.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>User interface components in Workplace Space Management provide programmatic name, role, and/or state information, with the following exceptions:</p> <ul style="list-style-type: none"> • When a screen reader user is navigating through the “Building overview” page, they will find that each floor is reported as two toggle buttons. • The button for building on the selected scenario in the Stack plan tab does not have a button role or an expanded state. • When a screen reader user navigates the “Building overview” page, they will find that the button to open the modal of keyboard shortcuts is reported as a toggle button. • When navigating the modal for seats on a floor, a screen reader will find that the button to close out this modal is reported as a toggle button.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>Workplace Space Management does not contain live synchronized media.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.5 Audio Description</u> (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) • Revised Section 508 <p>501 (Web)(Software)</p> <ul style="list-style-type: none"> • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not Applicable</p>	<p>Workplace Space Management does not contain prerecorded video content that would require audio description.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management does not contain fixed orientation for page displays.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.5 Identify Input Purpose (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, the purpose of each specifically identified input field collecting information about the user can be programmatically determined.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.3 Contrast (Minimum) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Text in Workplace Space Management meets minimum contrast requirements, including the text color on hover and focus states.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.4 Resize text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially Supports</p>	<p>Workplace Space Management supports standard zoom capabilities built into modern web browsers and operating systems. Content can be increased up to 200 percent without loss of content or functionality, with the following exceptions:</p> <ul style="list-style-type: none"> • The y-axis label is truncated on all charts. • The contents of the Create Scenario page over scroll. • The “Capacity vs utilization” line chart on the Workspace analytics dashboard does not resize when page is zoomed. • Chart content overlaps on some charts.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management uses text instead of images of text.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.10 Reflow (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management content reflows at different screen widths without loss of information or functionality and without requiring scrolling in two dimensions.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.11 Non-text Contrast (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Components in Workplace Space Management meet minimum contrast requirements, including the text color on hover and focus states.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.12 Text Spacing (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management allows text style adjustments to meet the minimum thresholds for text spacing.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.13 Content on Hover or Focus (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management allows hover content to be manually dismissed.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Workplace Space Management provides more than one way of finding content, including a navigation bar and search.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Workplace Space Management uses meaningful semantic headings to label content blocks. Form input labels are associated with their inputs and provide a useful label to those inputs.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Focusable elements in Workplace Space Management have a visible keyboard focus indicator.</p>
<p>2.4.11 Focus Not Obscured (Minimum) (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, the focus indicator is consistently displayed around interactive elements without being obscured by overlapping content or other UI components.</p>
<p>2.5.7 Dragging Movements (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, any functionality that requires dragging can be completed using a single pointer action like clicking or tapping.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.8 Target Size (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>Workplace Space Management includes interactive elements such as buttons, icons, and links, that are designed with a minimum target size of 24 by 24 CSS pixels except in cases where this would conflict with design or content flow.</p>
<p><u>3.1.2 Language of Parts</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>Within Workplace Space Management default webpages, the language of each portion of the page is programmatically determinable.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.3 Consistent Navigation</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Workplace Space Management provides consistent and repeatable navigation.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.2.4 Consistent Identification</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	<p>Supports</p>	<p>Components that have the same functionality within Workplace Space Management are identified consistently.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>3.3.3 Error Suggestion (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>When an error is automatically detected within a native data entry form in Workplace Space Management, the resulting error message provides suggestions for correction.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Supports</p>	<p>No forms within Workplace Space Management submit actions that cause legal commitments or financial transactions to occur, nor do any forms submit actions that modify or delete user-controllable data in the data storage system.</p>
<p><u>3.3.8 Accessible Authentication (Minimum)</u> (Level AA 2.2 only)</p> <p>EN 301 549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<p>Not Applicable</p>	<p>Workplace Space Management does not require cognitive testing during authentication processes.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 and 2.2)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	<p>Supports</p>	<p>In Workplace Space Management, status messages can be programmatically determined through roles or properties so that they can be presented to the user by assistive technologies without receiving focus.</p>

Table 3: Success Criteria, Level AAA

Notes: Not Evaluated

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	With some minor exceptions noted above, Workplace Space Management is functional to screen reading technology.
302.2 With Limited Vision	Partially Supports	With some minor exceptions noted above, Workplace Space Management supports text and screen enlargement.
302.3 Without Perception of Color	Supports	There is nothing within Workplace Space Management where color alone is being used to convey information.
302.4 Without Hearing	Supports	There is nothing within Workplace Space Management that explicitly requires hearing.
302.5 With Limited Hearing	Supports	There is nothing within Workplace Space Management that explicitly requires hearing.
302.6 Without Speech	Supports	There is nothing within Workplace Space Management that explicitly requires speech.
302.7 With Limited Manipulation	Supports	Features and functions within Workplace Space Management can be manipulated via the keyboard.

Criteria	Conformance Level	Remarks and Explanations
302.8 With Limited Reach and Strength	Supports	Features and functions within Workplace Space Management can be manipulated via the keyboard.
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially Supports	Certain terms and descriptions of features necessary for the use of Workplace Space Management use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities.

Chapter 4: [Hardware](#)

Notes: Not Applicable

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Does not apply to a web-only application.
503 Applications	Heading cell – no response required	Does not apply to a web-only application.
504 Authoring Tools	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not Applicable	Workplace Space Management is not an authoring tool.
504.2.2 PDF Export	Not Applicable	Workplace Space Management is not an authoring tool.
504.3 Prompts	Not Applicable	Workplace Space Management is not an authoring tool.
504.4 Templates	Not Applicable	Workplace Space Management is not an authoring tool.

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for Workplace Space Management and does not address Support Documentation or Support Services.
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Support Documentation or Support Services
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Support Documentation or Support Services.
603.3 Accommodation of Communication Needs	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Support Documentation or Support Services.

EN 301 549 Report

Notes:

Chapter [4: Functional Performance Statements \(FPS\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Partially Supports	With some minor exceptions noted above, Workplace Space Management is functional to screen reading technology.

Criteria	Conformance Level	Remarks and Explanations
4.2.2 Usage with limited vision	Partially Supports	With some minor exceptions noted above, Workplace Space Management supports text and screen enlargement.
4.2.3 Usage without perception of colour	Supports	There is nothing within Workplace Space Management where color alone is being used to convey information.
4.2.4 Usage without hearing	Supports	There is nothing within Workplace Space Management that explicitly requires hearing.
4.2.5 Usage with limited hearing	Supports	There is nothing within Workplace Space Management that explicitly requires hearing.
4.2.6 Usage with no or limited vocal capability	Supports	There is nothing within Workplace Space Management that explicitly requires speech.
4.2.7 Usage with limited manipulation or strength	Supports	Features and functions within Workplace Space Management can be manipulated via the keyboard.
4.2.8 Usage with limited reach	Supports	Features and functions within Workplace Space Management can be manipulated via the keyboard.
4.2.9 Minimize photosensitive seizure triggers	Supports	There is nothing within Workplace Space Management that would act as a photosensitive seizure trigger.

Criteria	Conformance Level	Remarks and Explanations
4.2.10 Usage with limited cognition, language or learning	Partially Supports	Certain terms and descriptions of features necessary for the use of Workplace Space Management use standard terms, which may not be understandable by users with limited language, cognitive, or learning abilities.
4.2.11 Privacy	Supports	Workplace Space Management has systems in place to protect the privacy of individual users.

Chapter 5: [Generic Requirements](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
5.1 Closed functionality	Heading cell – no response required	Heading cell – no response required
5.1.2 General	Heading cell – no response required	Heading cell – no response required
5.1.2.1 Closed functionality	See 5.2 through 13	See information in 5.2 through 13
5.1.2.2 Assistive technology	See 5.1.3 through 5.1.6	See information in 5.1.3 through 5.1.6
5.1.3 Non-visual access	Heading cell – no response required	Heading cell – no response required
5.1.3.1 Audio output of visual information	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.2 Auditory output delivery including speech	Not Applicable	Workplace Space Management does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.3 Auditory output correlation	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.4 Speech output user control	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.5 Speech output automatic interruption	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.6 Speech output for non-text content	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.7 Speech output for video information	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.8 Masked entry	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.9 Private access to personal data	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.10 Non-interfering audio output	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.11 Private listening volume	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.12 Speaker volume	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.13 Volume reset	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.14 Spoken languages	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.3.15 Non-visual error identification	Not Applicable	Workplace Space Management does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.1.3.16 Receipts, tickets, and transactional outputs	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.4 Functionality closed to text enlargement	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.5 Visual output for auditory information	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.6 Operation without keyboard interface	Heading cell – no response required	Heading cell – no response required
5.1.6.1 Closed functionality	See 5.1.3.1 through 5.1.3.16	See information in 5.1.3.1 through 5.1.3.16
5.1.6.2 Input focus	Not Applicable	Workplace Space Management does not have closed functionality.
5.1.7 Access without speech	Not Applicable	Workplace Space Management does not have closed functionality.
5.2 Activation of accessibility features	Not Applicable	Workplace Space Management does not have closed functionality.
5.3 Biometrics	Not Applicable	Workplace Space Management does not have closed functionality.
5.4 Preservation of accessibility information during conversion	Not Applicable	Workplace Space Management does not have closed functionality.
5.5 Operable parts	Heading cell – no response required	Heading cell – no response required
5.5.1 Means of operation	Not Applicable	Workplace Space Management does not have closed functionality.
5.5.2 Operable parts discernibility	Not Applicable	Workplace Space Management does not have closed functionality.

Criteria	Conformance Level	Remarks and Explanations
5.6 Locking or toggle controls	Heading cell – no response required	Heading cell – no response required
5.6.1 Tactile or auditory status	Not Applicable	Workplace Space Management does not have closed functionality.
5.6.2 Visual status	Not Applicable	Workplace Space Management does not have closed functionality.
5.7 Key repeat	Not Applicable	Workplace Space Management does not have closed functionality.
5.8 Double-strike key acceptance	Not Applicable	Workplace Space Management does not have closed functionality.
5.9 Simultaneous user actions	Not Applicable	Workplace Space Management does not have closed functionality.

Chapter 6: [ICT with Two-Way Voice Communication](#)

Notes: Not Applicable

Chapter 7: [ICT with Video Capabilities](#)

Notes: Not Applicable

Chapter 8: [Hardware](#)

Notes: Not applicable

Chapter 9: [Web](#) (see [WCAG 2.x section](#))

Notes:

Chapter [10: Non-Web Documents](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
10.0 General (informative)	Heading cell – no response required	Heading cell – no response required
10.1.1.1 through 10.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
10.5 Caption positioning	Not Applicable	Workplace Space Management does not have non-web documents that contain synchronized media.
10.6 Audio description timing	Not Applicable	Workplace Space Management does not have non-web documents that contain synchronized media.

Chapter [11: Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
11.0 General (informative)	Heading cell – no response required	Heading cell – no response required
11.1.1.1 through 11.4.1.3	See WCAG 2.x section	See information in WCAG 2.x section
<i>11.5 Interoperability with assistive technology</i>	Heading cell – no response required	Heading cell – no response required
<i>11.5.1 Closed functionality</i>	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
11.5.2 Accessibility services	Heading cell – no response required	Heading cell – no response required
11.5.2.1 Platform accessibility service support for software that provides a user interface	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.2 Platform accessibility service support for assistive technologies	See 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.3 Use of accessibility services	See information in 11.5.2.5 through 11.5.2.17	See information in 11.5.2.5 through 11.5.2.17
11.5.2.4 Assistive technology	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.5 Object information	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.6 Row, column, and headers	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.7 Values	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.8 Label relationships	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.9 Parent-child relationships	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.5.2.10 Text	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.11 List of available actions	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.12 Execution of available actions	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.13 Tracking of focus and selection attributes	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.14 Modification of focus and selection attributes	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.15 Change notification	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.16 Modifications of states and properties	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.5.2.17 Modifications of values and text	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.6 Documented accessibility usage	Heading cell – no response required	Heading cell – no response required
11.6.1 User control of accessibility features	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.

Criteria	Conformance Level	Remarks and Explanations
11.6.2 No disruption of accessibility features	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.7 User preferences	Not Applicable	Workplace Space Management is a web-based application that relies on user-agent functionality.
11.8 Authoring tools	Heading cell – no response required	Heading cell – no response required
11.8.1 Content technology	Heading cell – no response required	Heading cell – no response required
11.8.2 Accessible content creation	Not Applicable	See information in WCAG 2.x section
11.8.3 Preservation of accessibility information in transformations	Not Applicable	Workplace Space Management is not an authoring tool.
11.8.4 Repair assistance	Not Applicable	Workplace Space Management is not an authoring tool.
11.8.5 Templates	Not Applicable	Workplace Space Management is not an authoring tool.

Chapter [12: Documentation and Support Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
12.1 Product documentation	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
12.1.1 Accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Documentation or Support Services.
12.1.2 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section
12.2 Support Services	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Documentation or Support Services.
12.2.3 Effective communication	Not Applicable	This report covers accessibility conformance for Workplace Space Management only and does not address Documentation or Support Services.
12.2.4 Accessible documentation	See WCAG 2.x section	See information in WCAG 2.x section

Chapter [13: ICT Providing Relay or Emergency Service Access](#)

Notes: Not applicable

Legal Disclaimer (Company)

© 2026 ServiceNow, Inc. All rights reserved. The information contained in this document represents the current view of ServiceNow on the issues discussed as of the date of publication. ServiceNow regularly updates its documents and/or websites with newer information about the accessibility of products as that information becomes available. This document is not the Web Content Accessibility Guidelines (WCAG) and should not be used as a substitute for it. Excerpts of WCAG are referenced solely for purposes of detailing ServiceNow’s conformance with the relevant provisions. Any modification or customization to the subject product may render some or all of this accessibility conformance report to become inapplicable. The contents of this document are provided “as is” and for informational purposes only.

Company Headquarters

2225 Lawson Lane
Santa Clara, CA 95054
United States
(408) 501-8550